



United States
Department of
Agriculture

Agricultural
Marketing
Service

TOB-FL-39

May 1996


Washington, DC

Tobacco Market Review

Flue-Cured, 1995 Crop



Flue-Cured Tobacco Auction Markets and Marketing Areas



Contents

	Page
Review of the 1995 Marketing Season	4
Summary of Standard Flue-Cured Tobacco Grades	5
Table	
1. Allotted sales opportunities compared to producers' sales, 1995 crop	6
2. Initial and <u>final designation</u> of the 1995 crop	7
3. Opening and closing dates, and number of warehouse firms by type, state, and market	8-9
4. Movement of tobacco across state lines	10
5. Producers' sales, value, and average price by types, 1990-95 crops	10
6. Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1990-95 crops	11
7. Producers' sales, value, and average price by type, state, and market	12-13
8. Gross sales, value, and average price by type, state, and market	14-15
9. Resales, average price, and percentage of gross sales by type, state, and market	16-17
10. Rank of markets by volume of producers' sales, by separate types and by all types, 1995 crop	18
11. Season average prices and support rates by individual grades, per 100 pounds	19-21
12. Average prices by weeks for representative grades and season averages--Type 11	22-23
13. Average prices by weeks for representative grades and season averages--Type 12	24-25
14. Average prices by weeks for representative grades and season averages--Type 13	26-27
15. Average prices by weeks for representative grades and season averages--Type 14	28
16. Warehouse charges by states, 1995 crop	29
17. Average weight per lot, 1990-95 crops	29
18. Tobacco received by the Stabilization Corporation, 1992-95 crops	29
19. Percentage distribution by groups and types, 1991-95 crops	30
20. Percentage distribution by qualities and types, 1991-95 crops	30
21. Percentage distribution by colors and types, 1991-95 crops	31
22. Percentage distribution by groups, qualities, and colors for types 11-14, 1991-95 crops	31
23. Percentage distribution by grades and types, 1995 crop	32-33
24. Percentage breakdown of marketings by selected groupings, 1995 and 1994 crops	33
25. Group averages by maturity, 1995 crop	33
26. Percentage distribution by grades for all types, 1993-95 crops	34-35
27. Average price by grade groups and types, 1995 and 1994 crops	35

REVIEW OF THE 1995 MARKETING SEASON.

Flue-cured tobacco sales for 1995 were greatly affected by adverse weather, plant diseases, and over 130 million pounds of tobacco carried over from the previous year. Excessive rains and diseases primarily caused lower yields, while the quality of tobacco that reached warehouse floors was generally good. The carry-over tobacco helped make up for the loss of production, but sales were still only about 92 percent of the effective quota. Demand was good from day one, with higher bids for both the carry-over and new crop tobacco than the previous year. The percentage placed under loan was the lowest on record, and the overall average price was the highest since the record set in 1984. The 1995 basic quota was 934.6 million pounds, up 16.4 percent, due mainly to an increase in purchase intentions by companies. The effective quota was 924.9 million, an increase of 15.8 percent.

SALES AND AVERAGES. Producers' sales for 1995 totaled 851.8 million pounds, up 5.5 percent from 1994. The average paid for producers' tobacco was \$179.32, up \$9.14 from the 1994 figure of \$170.18 per hundred. It was also the highest average since the record of \$181.07 paid for the 1984 crop. Total value of producers' sales was \$1,527.5 million, up 11.2 percent from the 1994 value of \$1,374.0 million. These figures are based on auction sales only, including carry-over tobacco, and do not reflect assessments.

GRADE BID AVERAGES. With the exception of higher supported "B" and "H" grades, bid averages were above levels of the 1994 season. Overall, 88 grades were up, 14 unchanged, and only 2 grades were down from last year. Ripe leaf, along with smoking leaf, was generally steady to \$4 higher, ranging from \$179 to \$192, but mostly \$183 to \$187 per hundred. Unripe and immature leaf tobacco gained \$4 to \$15, and averaged between \$175 and \$183. Cutters were up mostly \$3 to \$9, selling in a range of \$172 to \$180. Lug averages increased mainly \$5 to \$17, selling in a range of \$162 to \$176. Primings, while very light in volume, gained \$19 to \$31, bringing \$156 to \$166. Nondescript tobacco was up \$19 to \$35 from last year, and sold from \$161 to \$178, except for grade N2 which averaged \$139 per hundred pounds. The practical top bid for 1995 was considered to be \$187 per hundred pounds.

COMPOSITION OF OFFERINGS. Both quality and maturity showed improvement from levels of the 1994 crop. Tobacco grading good quality or better gained 6 percentage points, making up 28.6 percent of total auctions. Fair quality dropped 5 points to 53.9 percent. As expected, the large amount of carry-over tobacco helped cause an increase in the "B" and "H" groups this year, with less primings (P) on warehouse floors. Leaf (B) and smoking leaf (H) combined for a 5 point increase, accounting for 69 percent of auctions. Primings were down 6 points to 2 percent, and were exceptionally low in eastern North Carolina. Changes in other group percentages follow: cutters (C) up 2.3 to 11.2 percent; lugs (X) down 0.4 to 15.2 percent; and nondescript (N) down 0.3 points to 2.2 percent of sales. Marketings classed as mature to mellow increased 5 points to 78.6 percent this season, the highest since the 1984 crop. The three heaviest volume grades and their percentages follow: B4K (16.0); B3K (8.6); and B4F (5.5). Rounding out the top ten grades were: B5K (5.0); X4F (4.7); B3F (4.6); B4KM (3.9); C4F (3.2); B3KM (3.0); and X3F (2.8). These ten grades made up 57.3 percent of all sales during the 1995 season.

LOAN RATES. Loan rates by grade for 1995 were based on an average support level of \$1.597 per pound, compared to \$1.583 for 1994. The Flue-Cured Stabilization Corporation deducted one cent per pound from the support price to offset overhead costs. The support level for 1996 was set at \$1.601 per pound by the Secretary of Agriculture in December, 1995.

STABILIZATION RECEIPTS. Loan receipts were light throughout the marketing season. The Stabilization Corporation received only 11.5 million pounds or 1.35 percent of net sales, compared to 97.7 million pounds or 12.1 percent from 1994 auctions. Percentages of loan receipts by grade group follow:

GROUP	1995	1994
Leaf (B)	80.4	70.9
Smoking leaf (H)	13.8	4.7
Cutters (C)	1.9	3.5
Lugs (X)	2.9	17.3
Primings (P)	0.1	3.3
Mixed (M)	**	**
Nondescript (N)	0.9	0.3

** Less than one-tenth of one percent.

MARKETING REGULATIONS. The marketing of flue-cured tobacco is regulated by the grower designation plan which began in 1974. In 1995, the "no-net-cost" assessment was 0.0015 cents per pound for growers, and 1.0015 cents for buyers. The "marketing assessment" was 1.597 cents shared equally. These assessments totaled 2.6 cents per pound, with growers paying 0.800 cents and buyers 1.800 cents per pound. For the 1994 crop, these assessments totaled 8.0 cents, with growers paying 3.0 cents and buyers 5.0 cents per pound. Growers were required to certify that any pesticides (including plant regulators, defoliants, or desiccants) they used had been approved by the Environmental Protection Agency (EPA), and that they had not planted a discount variety. The USDA-FSA checked for compliance by random sampling. Thirty-eight grades were restricted for use on the 1995 crop (see page 5), and a special factor "M" (mixed) was approved for use on grades that contained 25 percent or more of an adjacent group. When the "M" prefix was used on lots in the "B" and "H" groups, the support price was lowered 3 cents per pound from the otherwise applicable rate for the same "B" or "H" grade without the "M" designation. The 1995 user fee for grading services of the USDA-AMS Tobacco Division increased 13 cents to 83 cents per hundred pounds. The Advisory Committee voted to eliminate the Middle Belt. This was done by moving Cart-Aber, Fuquay-Varina, and Sanford to the Eastern Belt, and moving Henderson, Louisburg, and Oxford to the Old Belt. Marketing Areas were designated as "A" (Ga.-Fla. Belt), "B" (S.C. & Border N.C. Belt), "C" (Eastern N.C. Belt), and "D" (Old Belt).

PRELIMINARY 1996 INFORMATION. The 1996 basic marketing quota was announced by the Secretary of Agriculture in December, 1995. The quota was set at 873.6 million pounds, down 6.5 percent from the 1995 figure of 934.6 million. The 1996 effective quota is expected to be about 944 million pounds or 2 percent above the 1995 figure. The national acreage allotment for the 1996 crop is 418,392 acres, down from the 1995 allotment of 447,605 acres. The national yield goal remained at 2,088 pounds per acre. The 1996 "marketing assessment" will be 0.8005 cents per pound for both growers and buyers, for a total of 1.601 cents. The "no-net-cost" assessment will be set later.

SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/

Key to Standard Trademarks for Flue-cured Tobacco

Groups	Qualities	Color symbols	Combination symbols
B - Leaf	1 - Choice	L - Lemon	KL - Variegated lemon
H - Smoking leaf	2 - Fine	F - Orange	KF - Variegated orange
C - Cutters	3 - Good	FR - Orange red	KD - Variegated dark red
X - Lugs	4 - Fair	R - Red	KV - Variegated greenish
P - Primings	5 - Low	K - Variegated	KM - Variegated mixed
M - Mixed	6 - Poor	KR - Variegated red or scorched	G - Green
N - Nondescript		V - Greenish	GR - Green red
S - Scrap		LL - Whitish-lemon	GK - Green variegated
			GG - Gray green
		Special factor	Special symbol
		W - Wet	S - Slick
		U - Unsound	
		Sand or Dirt	
		M - Mixed	
			LP - Lemon (primings side)
			FP - Orange (primings side)
			KK - Excessively scorched

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side. Special factor "M" could be applied to all "B" and "H" grades containing 25 percent of an adjacent group, for the 1995 crop.

Individual flue-cured grades

63 Grades of Leaf:	Leaf--Continued:	Cutters--Continued:	Lugs--Continued:
B1L	B3KD 2/	C4LL 2/	X3KM
B2L	B4KD 2/	C5LL 2/	X4KM
B3L	B5KD 2/	C5LP 2/	X4GK
B4L	B6KD 2/	C1F	X4G
B5L	B4KV	C2F	X5G
B6L 2/	B5KV	C3F	
B1F	B6KV 2/	C4F	10 Grades of Primings:
B2F	B3KM	C5F	P2L
B3F	B4KM	C5FP 2/	P3L
B4F	B5KM	C4KR	P4L
B5F	B6KM 2/	C4V	P5L
B6F 2/	B3KK 2/	C4S 2/	P2F
B1FR	B4KK 2/	C4KL	P3F
B2FR	B5KK 2/	C4KF	P4F
B3FR	B6KK 2/	C4KM	P5F
B4FR	B4G	C4KK 2/	P4G
B5FR	B5G	C4G	P5G
B6FR 2/	B6G 2/	C4GK	7 Grades of Mixed:
B5R 2/	B5GR 2/		M4F
B3K	B4GK	X1L	M5F
B4K	B5GK	X2L	M4KR
B5K	B6GK 2/	X3L	M4KM
B6K 2/	B5GG 2/	X4L	M5KM
B3KR		X5L	M4GK
B4KR	H3F	X3LL 2/	M5GK
B5KR	H4F	X4LL 2/	13 Grades of Nondescript:
B3V	H5F	X1F	N1L
B4V	H6F 2/	X2F	N1XL
B5V	H4FR	X3F	N1K
B3S 2/	H5FR	X4F	N1R
B4S 2/	H6FR 2/	X5F	N1GL
B5S 2/	H4K	X3KR	N1GF
B3KL	H5K	X4KR	N1KV
B4KL	H6K 2/	X3V	N1GR
B5KL		X4V	N1GG
B6KL 2/	C1L	X3S 2/	N1PO 2/
B3KF	C2L	X4S 2/	N1XO
B4KF	C3L	X4KL	N1BO
B5KF	C4L	X4KF	N2
B6KF 2/	C5L	X4KV	

1/ Tobacco not covered by the standard grades is designated "No-G", "No-G-F" or "No-G-Nested".

2/ Restricted for use during the 1995 marketing season.

Table 1.--Allotted sales opportunities compared to producers' sales, 1995 crop 1/

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D		Total flue-cured 2/		
	Sets of buyers	Sales opport.	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales
1,000 pounds											
July 20	6	6,902	7,598	11	11,310	11,911	19	13,397	14,899	14	9,457
July 27	9,185	9,594	15,016	14,086	26,748	29,054	18,946	21,006	19,685	19,095	69,895
Aug. 3	9,204	8,598	15,138	14,334	26,742	27,943	19,011	19,685	18,993	18,604	70,560
Aug. 10	9,200	8,091	15,063	14,849	26,758	27,990	18,993	18,604	19,047	18,194	70,014
Aug. 17	9,214	8,948	15,225	14,923	27,211	27,157	19,047	18,194	19,047	18,194	69,534
Aug. 24	9,222	9,128	15,334	15,339	27,248	27,276	19,067	18,355	19,101	18,731	70,697
Aug. 31	9,202	9,221	15,242	15,363	27,294	27,248	19,101	18,731	19,101	18,731	70,563
Sep. 7	6,884	6,891	11,472	11,574	20,557	20,955	14,326	14,259	14,326	14,259	53,239
Sep. 14	9,203	9,250	15,216	15,428	27,649	28,055	19,101	19,314	19,101	19,314	53,679
Sep. 21	9,214	9,160	15,232	15,510	27,677	27,466	19,149	19,457	19,149	19,457	71,169
Sep. 28	9,228	9,179	15,224	15,557	27,643	26,519	19,255	20,177	19,255	19,255	72,047
Oct. 5	9,180	6,995	15,151	14,239	27,590	23,807	19,195	20,075	19,195	19,195	71,350
Oct. 12	7,057	34	11,630	6,125	21,154	10,597	15,437	14,933	15,437	15,437	71,432
Oct. 19			14,890	1,563	27,587	2,028	21,489	10,879	21,489	21,489	71,116
Oct. 26					27,584	239	21,424	2,771	21,424	2,771	65,116
Nov. 2							4/	47	4/	47	4/
	Closed 10-10-95		Closed 10-18-95		Closed 10-23-95		Closed 10-30-95				

1/ Based on grower designation. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Producers' sales derived from weekly market news reports.

3/ Number of sets reduced as markets close.

4/ Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

Table 2.--Initial and final designation of the 1995 crop 1/

Market	Initial	Final	Market	Initial	Final
Marketing area A			Marketing area C		
Georgia:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Alma	15,720,611	16,307,472	Ahoskie	4,811,170	4,874,108
Blackshear	9,084,943	9,154,744	Cart-Aber	10,613,080	11,043,957
Claxton	5,726,222	5,916,919	Clinton	18,978,508	16,308,962
Douglas	13,169,955	13,191,194	Farmville	26,006,891	25,932,603
Moultrie	16,866,061	17,644,223	Fuquay-Varina	22,596,792	22,255,269
Nashville	11,568,801	11,498,282	Goldsboro	27,019,049	27,477,863
Pelham	6,216,899	5,899,399	Greenville	32,254,302	33,016,586
Statesboro	5,110,073	4,923,971	Kinston	46,364,364	46,315,917
Tif-Fit-Ocil	4,206,489	4,315,163	Roanoke River	28,199,847	28,977,685
Val-Hira	6,992,334	8,117,372	Rocky Mount	10,395,842	12,123,162
Vidalia	8,092,735	8,120,699	Sanford	6,866,370	6,537,449
Total Georgia	102,755,123	105,089,438	Smithfield	33,728,090	33,933,322
Florida			Wallace	5,524,923	5,334,107
Lake City	6,333,135	6,491,747	Wendell	3,098,662	3,007,161
Live Oak	8,523,325	8,878,158	Wilson	78,124,562	85,959,007
Madison	4,451,776	4,553,812	Total area C:	354,582,452	363,097,158
Total Florida	19,308,236	19,923,717			
Total area A:	122,063,359	125,013,155			

Marketing area B			Marketing area D		
South Carolina:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Conway	5,675,863	6,128,388	Burl-Meb	4,518,728	4,236,477
Darl-Tim	11,721,315	11,620,396	Henderson	21,972,545	24,526,985
Kings-Hemway	16,876,952	17,951,564	Louisburg	23,151,942	27,136,338
Lake City	30,225,918	30,638,287	Mount Airy	12,788,445	13,323,772
Loris	4,824,084	4,192,003	Oxford	12,060,151	12,412,164
Mullins	33,833,301	35,923,895	Reidsville	17,107,004	18,750,824
Total S.C.	103,157,433	106,454,533	Roxboro	16,578,568	17,599,719
North Carolina:			Stone-Mad	11,044,322	11,378,650
Clark-Chad	12,437,578	12,503,798	Winston-Salem	37,572,451	38,620,930
Frmont-Frbf	33,110,293	31,554,209	Total N.C.	156,794,156	167,985,859
Lumberton	16,284,143	15,172,827	Virginia:		
Tabor City	14,752,250	15,646,128	Chase City	3,354,445	3,666,823
Whiteville	16,807,094	17,960,472	Clarksville	8,803,670	9,270,968
Total N.C.	93,391,358	92,837,434	Danville	49,763,359	50,658,808
Total area B:	196,548,791	199,291,967	Kenbridge	1,357,511	1,573,772
			Lawrenceville	7,240,714	7,704,635
			South Boston	16,296,836	16,086,970
			South Hill	9,613,533	10,406,852
			Total Virginia	96,430,068	99,368,828
			Total area D:	253,224,224	267,354,687
			Total flue-cured	926,418,826	954,756,967

1/ Growers allowed to designate 103 percent of their effective quota.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market

Type 11 - Old Belt flue-cured

States and markets	1995				1994			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Virginia:			Number	Number			Number	Number
Chase City	July 24	Oct. 26	11	3	Aug. 04	Nov. 02	11	3
Clarksville	July 20	Oct. 23	25	3	Aug. 03	Nov. 03	23	3
Danville	July 19	Oct. 24	53	6	Aug. 02	Nov. 03	53	6
Kenbridge	July 31	Oct. 24	4	2	Aug. 09	Nov. 02	6	2
Lawrenceville	July 20	Oct. 25	22	3	Aug. 03	Oct. 31	20	2
South Boston	July 19	Oct. 23	46	5	Aug. 02	Nov. 03	53	6
South Hill	July 19	Oct. 26	30	4	Aug. 02	Nov. 03	28	5
Total Virginia			26				27	
North Carolina:								
Burl-Meb	July 25	Oct. 11	14	1	Aug. 04	Oct. 26	16	1
Henderson	July 19	Oct. 26	56	5	Aug. 02	Oct. 31	37	4
Louisburg	July 19	Oct. 24	54	3	Aug. 02	Oct. 27	49	3
Mt. Airy	July 19	Oct. 30	56	2	Aug. 02	Nov. 01	51	2
Oxford	July 19	Oct. 26	34	4	Aug. 02	Nov. 01	34	4
Reidsville	July 19	Oct. 23	53	3	Aug. 02	Oct. 31	50	3
Roxboro	July 19	Oct. 25	50	5	Aug. 02	Oct. 31	39	5
Stone-Mad	July 19	Oct. 24	39	3	Aug. 02	Oct. 31	34	3
Warrenton		NOT OPERATING IN 1995			Aug. 03	Nov. 03	27	3
Winston-Salem	July 19	Oct. 24	54	8	Aug. 02	Oct. 31	50	7
Total N.C.			34				44	
Total type 11			60				71	

Type 12 - Eastern North Carolina flue-cured

North Carolina:								
Ahoskie	July 20	Oct. 19	14	1	July 28	Oct. 27	16	1
Cart-Aber	July 19	Oct. 12	25	3	July 27	Oct. 20	27	3
Clinton	July 19	Oct. 27	39	3	July 27	Oct. 19	46	3
Farmville	July 19	Oct. 11	46	3	July 27	Oct. 20	48	3
Fuquay-Varina	July 19	Oct. 10	46	4	July 27	Oct. 20	48	4
Goldsboro	July 19	Oct. 17	50	5	July 27	Oct. 24	49	5
Greenville	July 19	Oct. 11	47	7	July 27	Oct. 24	48	7
Kinston	July 19	Oct. 12	48	7	July 27	Oct. 20	48	6
Roanoke River 1/	July 19	Oct. 19	50	6	July 27	Oct. 26	49	6
Rocky Mount	July 19	Oct. 18	30	3	July 27	Oct. 24	29	3
Sanford	July 20	Oct. 02	16	2	July 28	Oct. 19	18	2
Smithfield	July 19	Oct. 12	47	6	July 27	Oct. 25	49	5
Wallace	July 19	Oct. 02	21	1	July 27	Oct. 18	22	1
Wendell	July 26	Oct. 10	9	2	Aug. 03	Oct. 19	9	2
Wilson	July 19	Oct. 23	52	11	July 27	Oct. 26	49	11
Total type 12			64				62	

See footnotes at end of table.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

States and markets	1995				1994			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
South Carolina:			Number	Number			Number	Number
Conway	July 19	Oct. 04	19	2	July 27	Oct. 19	21	3
Darl-Tim	July 18	Oct. 12	29	5	July 26	Oct. 13	26	5
Kings-Hemway 2/	July 18	Oct. 18	52	5	July 26	Oct. 17	46	5
Lake City	July 18	Oct. 18	52	4	July 26	Oct. 18	47	5
Loris	July 20	Oct. 11	13	2	July 28	Oct. 18	13	2
Mullins	July 18	Oct. 17	50	5	July 26	Oct. 17	46	5
Total S.C.			23				25	
North Carolina:								
Clark-Chad 3/	July 19	Oct. 12	29	3	July 27	Oct. 20	31	4
Frmont-Frbflf 4/	July 18	Oct. 05	46	10	July 26	Oct. 19	57	10
Lumberton	July 18	Oct. 10	47	4	July 26	Oct. 13	44	4
Tabor City	July 18	Oct. 12	38	3	July 26	Oct. 18	39	3
Whiteville	July 18	Oct. 12	48	6	July 26	Oct. 20	41	6
Total N.C.			26				27	
Total type 13			49				52	

Type 14 - Georgia and Florida flue-cured

Georgia:								
Alma	July 18	Oct. 03	35	2	July 19	Oct. 06	34	3
Blackshear	July 19	Oct. 05	19	2	July 20	Oct. 05	22	2
Claxton	July 19	Oct. 04	15	1	July 21	Oct. 06	13	1
Douglas	July 18	Oct. 10	28	3	July 19	Oct. 04	30	3
Moultrie	July 18	Oct. 02	35	4	July 19	Oct. 04	27	3
Nashville	July 18	Oct. 05	26	2	July 19	Oct. 05	24	2
Pelham	July 19	Sep. 27	12	2	July 20	Oct. 05	18	2
Statesboro	July 20	Oct. 02	12	1	July 21	Oct. 03	12	1
Tif-Fit-Ocil 5/	July 24	Oct. 05	11	2	July 26	Sep. 26	8	2
Val-Hira	July 19	Oct. 05	18	2	July 20	Oct. 03	21	2
Vidalia	July 18	Oct. 03	19	2	July 19	Oct. 06	20	2
Total Georgia			23				23	
Florida:								
Lake City	July 19	Oct. 10	18	1	July 20	Oct. 03	16	1
Live Oak	July 18	Oct. 02	20	2	July 19	Oct. 05	22	2
Madison	July 20	Oct. 05	11	1	July 21	Oct. 05	8	1
Total Florida			4				4	
Total type 14			27				27	
Total 11-14			200				203	

1/ Roanoke River is the new name assigned to the Win-Will-Rob markets for the 1995 season.

2/ Kings-Hemway was formed from a merger of the Kingstree and Hemingway markets, for the 1995 season.

3/ Clark-Chad was formed from a merger of the Clarkton and Chadbourne markets, for the 1995 season.

4/ Frmont-Frbflf was formed from a merger of the Fairmont and Fair Bluff markets, for the 1995 season.

5/ Tif-Fit-Ocil was formed from a merger of the Tifton and Ocilla-Fitz markets, for the 1995 season.

Table 4.--Movement of tobacco across state lines 1/

State in which produced and crop year	Total sold out of State	Sold in:			
		Florida	Georgia	South Carolina	North Carolina
thousand pounds					
1995 Crop					
Alabama	781	32	749	--	----
Florida	2,562	--	2,562	--	---
Georgia	2,494	2,490	--	--	4
South Carolina	12,831	--	468	--	12,363
North Carolina	21,266	--	--	1,761	19,505
Virginia	7,616	--	--	--	7,616
Total	47,550	2,522	3,779	1,761	19,505
1994 Crop					
Alabama	615	--	606	9	--
Florida	2,418	--	2,418	--	--
Georgia	2,150	2,150	--	--	--
South Carolina	11,729	--	682	--	11,044
North Carolina	21,999	--	--	1,758	20,241
Virginia	6,907	--	--	--	6,907
Total	45,818	2,150	3,706	1,767	20,244

1/ Based on reports of the Farm Service Agency, USDA.

Table 5.--Producers' sales, value, and average price by types, 1990-95 crops 1/

Type 11 - Old Belt				Type 12 - Eastern North Carolina			
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1990	284,357,274	480,371,433	168.93	1990	322,032,434	545,959,062	169.54
1991	284,703,858	493,645,487	173.39	1991	306,350,494	530,256,108	173.09
1992	280,539,708	493,748,869	176.00	1992	311,062,604	539,201,056	173.34
1993	275,801,125	466,537,168	169.16	1993	310,545,952	528,607,306	170.22
1994	255,550,138	436,411,748	170.77	1994	278,445,985	477,975,177	171.66
1995	247,191,007	446,609,818	180.67	1995	321,210,002	579,458,109	180.40

Type 13 - South Carolina and Border North Carolina				Type 14 - Georgia and Florida			
Crop	Sales	Value	Average price	Crop	Sales	Value	Average price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1990	192,638,263	307,417,624	159.58	1990	120,190,364	202,991,523	168.89
1991	189,869,314	326,207,545	171.81	1991	101,766,870	171,831,968	168.85
1992	188,253,945	320,134,328	170.05	1992	121,291,907	204,032,569	168.22
1993	190,609,995	319,225,645	167.48	1993	115,117,580	190,085,708	165.12
1994	173,518,369	294,699,117	169.84	1994	99,872,206	164,892,155	165.10
1995	180,794,475	321,203,591	177.66	1995	102,652,702	180,275,217	175.62

Types 11-14 - Total flue-cured

Crop	Sales	Value	Average price	Crop	Sales	Value	Average price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1990	919,218,335	1,536,739,676	167.18	1993	892,074,652	1,504,455,827	168.65
1991	882,690,536	1,521,941,108	172.42	1994	807,386,698	1,373,978,197	170.18
1992	901,148,164	1,557,116,822	172.79	1995	851,848,186	1,527,546,735	179.32

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 6.--Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1990-95 crops 1/

Type 11 - Old Belt

Crop	Gross			Resales		
	Sales	Value	Average price	Resales	Average price	Percentage of gross sales
1990	Pounds 311,758,684	Dollars 525,776,194	Dollars 168.65	Pounds 27,401,410	Dollars 165.70	8.8
1991	317,609,835	550,548,812	173.34	32,905,977	172.93	10.4
1992	304,180,759	534,907,404	175.85	23,641,051	174.10	7.8
1993	298,316,895	504,731,441	169.19	22,515,770	169.63	7.6
1994	276,477,878	472,324,154	170.84	20,927,740	171.60	7.6
1995	264,833,416	478,483,449	180.67	17,642,409	180.66	6.7

Type 12 - Eastern North Carolina

1990	353,116,291	598,364,018	169.45	31,083,857	168.59	8.8
1991	343,435,618	594,610,574	173.14	37,085,124	173.53	10.8
1992	336,392,053	583,085,070	173.33	25,329,449	173.25	7.5
1993	336,457,532	573,238,062	170.37	25,911,580	172.24	7.7
1994	301,746,745	518,371,960	171.79	23,300,760	173.37	7.7
1995	347,810,879	627,670,236	180.46	26,600,877	181.24	7.7

Type 13 - South Carolina and Border North Carolina

1990	211,339,198	337,303,379	159.60	18,700,935	159.81	8.9
1991	210,939,135	362,445,995	171.82	21,069,821	171.99	10.0
1992	206,724,528	351,667,472	170.11	18,470,583	170.72	8.9
1993	210,480,935	352,741,583	167.59	19,870,940	168.67	9.4
1994	189,859,398	322,595,120	169.91	16,341,029	170.71	8.6
1995	198,587,831	353,164,023	177.84	17,793,356	179.62	9.0

Type 14 - Georgia and Florida

1990	135,561,833	229,191,390	169.07	15,371,469	170.44	11.3
1991	115,202,404	194,861,355	169.15	13,435,534	171.41	11.7
1992	136,824,612	230,292,301	168.31	15,532,705	169.06	11.4
1993	129,934,608	215,067,933	165.52	14,817,028	168.60	11.4
1994	110,939,341	183,397,436	165.31	11,067,135	167.21	10.0
1995	113,617,187	199,826,231	175.88	10,964,485	178.31	9.7

Types 11-14 Total flue-cured

1990	1,011,776,006	1,690,634,981	167.10	92,557,671	166.27	9.2
1991	987,186,992	1,702,466,736	172.46	104,496,456	172.76	10.6
1992	984,121,952	1,699,952,247	172.74	82,973,788	172.15	8.4
1993	975,189,970	1,645,779,019	168.76	83,115,318	170.03	8.5
1994	879,023,362	1,496,688,670	170.27	71,636,664	171.30	8.2
1995	924,849,313	1,659,143,939	179.40	73,001,127	180.27	7.9

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 7.--Producers' sales, value, and average price by type, state, and market 1/

Type 11 - Old Belt flue-cured

Market and State	1995 Crop			1994 crop		
	Sales	Value	Average price	Sales	Value	Average price
Virginia:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Chase City	3,503,794	6,300,415	179.82	3,275,385	5,564,411	169.89
Clarksville	8,734,894	15,834,749	181.28	7,318,768	12,566,272	171.70
Danville	46,413,963	84,175,990	181.36	44,026,251	75,333,440	171.11
Kenbridge	1,338,242	2,403,745	179.62	1,203,589	2,024,523	168.21
Lawrenceville	7,506,813	13,545,654	180.44	6,352,845	10,821,280	170.34
South Boston	14,408,825	25,823,263	179.22	15,698,828	26,472,985	168.63
South Hill	9,949,370	17,902,596	179.94	8,279,844	14,146,453	170.85
Total Virginia	91,855,901	165,986,412	180.70	86,155,510	146,929,364	170.54
North Carolina:						
Burl-Meb	3,748,150	6,863,099	183.11	4,008,508	6,899,040	172.11
Henderson	23,534,488	42,464,841	180.44	11,748,755	19,960,760	169.90
Louisburg	24,780,184	44,951,455	181.40	20,311,173	35,070,337	172.67
Mt. Airy	12,144,211	21,795,997	179.48	10,876,082	18,391,091	169.10
Oxford	11,711,678	21,078,704	179.98	10,475,678	17,781,124	169.74
Reidsville	17,588,026	31,914,975	181.46	14,406,046	24,989,651	173.47
Roxboro	16,721,676	30,337,053	181.42	13,360,798	22,744,723	170.23
Stone-Mad	10,164,679	18,246,099	179.50	9,569,827	16,148,236	168.74
Warrenton	NOT OPERATING IN 1995			7,582,910	12,993,783	171.36
Winston-Salem	34,942,014	62,971,183	180.22	32,448,550	55,059,344	169.68
Total N.C.	155,335,106	280,623,406	180.66	134,788,327	230,038,089	170.67
Total type 11	247,191,007	446,609,818	180.67	220,943,837	376,967,453	170.62

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	4,094,450	7,326,189	178.93	4,289,229	7,140,050	166.46
Cart-Aber	9,681,571	17,408,090	179.81	9,246,277	15,969,841	172.72
Clinton	12,442,581	22,118,779	177.77	16,373,313	28,260,766	172.60
Farmville	22,562,763	40,648,389	180.16	21,940,109	37,767,712	172.14
Fuquay-Varina	19,799,684	35,884,563	181.24	19,260,697	33,121,193	171.96
Goldsboro	24,632,438	44,253,456	179.66	24,830,901	42,441,149	170.92
Greenville	28,654,777	51,406,622	179.40	28,761,597	48,787,308	169.63
Kinston	41,996,365	75,670,596	180.18	40,253,017	68,902,096	171.17
Roanoke River 2/	26,557,483	48,125,968	181.21	24,276,737	41,775,220	172.08
Rocky Mount	11,189,997	20,228,919	180.78	9,265,063	15,724,121	169.71
Sanford	5,332,365	9,546,437	179.03	6,099,317	10,353,261	169.74
Smithfield	28,786,876	52,105,667	181.00	30,127,686	51,806,482	171.96
Wallace	4,476,915	8,057,066	179.97	5,010,164	8,597,666	171.60
Wendell	2,802,510	5,102,787	182.08	2,778,872	4,772,799	171.75
Wilson	78,199,227	141,574,581	181.04	70,539,297	121,999,808	172.95
Total type 12	321,210,002	579,458,109	180.40	313,052,276	537,389,472	171.66

See footnotes at end of table.

**Table 7.--Producers' sales, value, and average price by type, state, and market 1/
--Continued**

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1995 crop			1994 crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
South Carolina:						
Conway	5,785,393	10,309,987	178.21	5,773,749	9,736,590	168.64
Darl-Tim	10,744,932	19,058,886	177.38	9,878,307	16,427,512	166.30
Kings-Hemway 3/	18,211,183	32,660,895	179.35	14,762,385	25,129,688	170.23
Lake City	28,931,417	51,319,347	177.38	27,292,692	45,494,155	166.69
Loris	3,879,714	6,873,894	177.18	4,382,481	7,329,725	167.25
Mullins	33,558,182	59,670,991	177.81	29,492,726	50,194,157	170.19
Total S.C.	101,110,821	179,894,000	177.92	91,582,340	154,311,827	168.50
North Carolina:						
Clark-Chad 4/	9,950,925	17,628,655	177.16	10,701,683	18,270,965	170.73
Frmont-Frblf 5/	27,070,255	48,047,166	177.49	27,625,542	47,468,570	171.83
Lumberton	12,855,894	22,828,352	177.57	13,356,779	22,940,389	171.75
Tabor City	14,314,236	25,227,242	176.24	13,635,528	22,951,498	168.32
Whiteville	15,492,344	27,578,176	178.01	16,616,497	28,755,868	173.06
Total N.C.	79,683,654	141,309,591	177.34	81,936,029	140,387,290	171.34
Total type 13	180,794,475	321,203,591	177.66	173,518,369	294,699,117	169.84

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	12,774,632	22,434,850	175.62	13,785,553	23,112,740	167.66
Blackshear	6,838,745	12,047,498	176.17	8,157,269	13,672,656	167.61
Claxton	5,098,581	9,033,675	177.18	4,996,838	8,345,128	167.01
Douglas	10,818,120	18,820,504	173.97	10,771,955	17,539,799	162.83
Moultrie	13,991,526	24,569,129	175.60	9,979,254	16,243,413	162.77
Nashville	10,488,067	18,536,336	176.74	9,124,529	15,194,101	166.52
Pelham	4,705,444	8,227,773	174.86	6,421,923	10,474,023	163.10
Statesboro	3,328,062	5,741,479	172.52	4,180,289	6,870,112	164.35
Tif-Fit-Ocil 6/	3,607,655	6,370,149	176.57	2,966,281	4,925,590	166.05
Val-Hira	7,349,321	12,891,096	175.41	6,173,556	10,037,517	162.59
Vidalia	6,390,573	11,243,054	175.93	7,141,275	11,842,888	165.84
Total Georgia	85,390,726	149,915,543	175.56	83,698,722	138,257,967	165.19
Florida:						
Lake City	6,011,036	10,546,198	175.45	5,712,990	9,328,713	163.29
Live Oak	7,377,746	13,104,679	177.62	7,830,215	12,952,431	165.42
Madison	3,873,194	6,708,797	173.21	2,630,279	4,353,044	165.50
Total Florida	17,261,976	30,359,674	175.88	16,173,484	26,634,188	164.68
Total type 14	102,652,702	180,275,217	175.62	99,872,206	164,892,155	165.10
Total types 11-14	851,848,186	1,527,546,735	179.32	807,386,698	1,373,978,197	170.18

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

2/ Roanoke River is the new name assigned to the Win-Will-Rob markets for the 1995 season.

3/ Kings-Hemway was formed from a merger of the Kingtree and Hemingway markets, for the 1995 season.

4/ Clark-Chad was formed from a merger of the Clarkton and Chadbourn markets, for the 1995 season.

5/ Frmont-Frblf was formed from a merger of the Fairmont and Fair Bluff markets, for the 1995 season.

6/ Tif-Fit-Ocil was formed from a merger of the Tifton and Ocila-Fit markets, for the 1995 season.

Table 8.--Gross sales, value, and average price by type, state, and market 1/

Type 11 - Old Belt flue-cured

Market and State	1995 crop			1994 crop		
	Sales	Value	Average price	Sales	Value	Average price
Virginia:						
Chase City	3,575,858	6,422,477	179.61	3,315,621	5,633,517	169.91
Clarksville	9,029,345	16,369,188	181.29	7,660,331	13,140,918	171.55
Danville	50,705,239	91,983,245	181.41	48,937,608	83,779,992	171.20
Kenbridge	1,343,490	2,412,125	179.54	1,208,833	2,032,940	168.17
Lawrenceville	7,680,271	13,854,780	180.39	6,542,367	11,140,681	170.29
South Boston	15,268,143	27,351,134	179.14	16,522,350	27,799,515	168.25
South Hill	10,201,430	18,333,896	179.72	8,528,476	14,562,141	170.75
Total Virginia	97,803,776	176,726,845	180.70	92,715,586	158,089,704	170.51
North Carolina:						
Burl-Meb	3,816,277	6,984,849	183.03	4,076,185	7,012,653	172.04
Henderson	24,584,928	44,366,605	180.46	12,476,342	21,217,812	170.06
Louisburg	26,262,080	47,638,498	181.40	21,599,973	37,330,764	172.83
Mt. Airy	13,805,685	24,771,917	179.43	12,155,895	20,602,736	169.49
Oxford	12,132,408	21,836,386	179.98	10,944,763	18,585,511	169.81
Reidsville	19,135,041	34,712,316	181.41	16,058,612	27,871,230	173.56
Roxboro	17,422,261	31,598,176	181.37	14,311,882	24,356,811	170.19
Stone-Mad	11,192,150	20,120,877	179.78	10,663,525	18,018,022	168.97
Warrenton	NOT OPERATING IN 1995			7,850,568	13,445,857	171.27
Winston-Salem	38,678,810	69,726,980	180.27	36,465,118	61,927,676	169.83
Total N.C.	167,029,640	301,756,604	180.66	146,602,863	250,369,072	170.78
Total type 11	264,833,416	478,483,449	180.67	239,318,449	408,458,776	170.68

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	4,331,682	7,753,056	178.98	4,562,865	7,609,746	166.78
Cart-Aber	10,392,026	18,701,149	179.96	9,957,285	17,218,869	172.93
Clinton	13,603,907	24,186,306	177.79	17,573,562	30,338,637	172.64
Farmville	24,786,526	44,639,081	180.09	23,719,724	40,814,769	172.07
Fuquay-Varina	20,852,975	37,789,943	181.22	20,517,984	35,273,165	171.91
Goldsboro	26,837,663	48,254,658	179.80	27,046,245	46,330,629	171.30
Greenville	31,142,156	55,889,128	179.46	31,064,834	52,752,561	169.81
Kinston	45,282,104	81,660,620	180.34	42,723,657	73,265,246	171.49
Roanoke River 2/	28,917,092	52,393,877	181.19	26,659,002	45,860,328	172.03
Rocky Mount	11,511,065	20,812,633	180.81	9,570,383	16,236,570	169.65
Sanford	5,886,545	10,547,652	179.18	6,684,160	11,373,344	170.15
Smithfield	31,674,956	57,339,736	181.03	32,984,535	56,695,979	171.89
Wallace	4,724,063	8,503,465	180.00	5,177,244	8,884,459	171.61
Wendell	2,848,921	5,186,770	182.06	2,843,445	4,880,591	171.64
Wilson	85,019,198	154,012,162	181.15	77,821,249	134,702,445	173.09
Total type 12	347,810,879	627,670,236	180.46	338,906,174	582,237,338	171.80

See footnotes at end of table.

**Table 8.--Gross sales, value, and average price by type, state, and market 1/
--Continued**

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1995 crop			1994 crop		
	Sales	Value	Average price	Sales	Value	Average price
South Carolina:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Conway	6,086.511	10,849,094	178.25	6,038,644	10,173,985	168.48
Darl-Tim	11,878,083	21,091,911	177.57	10,952,564	18,249,989	166.63
Kings-Hemway 3/	19,488,419	34,957,475	179.38	16,062,536	27,392,093	170.53
Lake City	32,529,076	57,780,479	177.63	30,719,479	51,347,793	167.15
Loris	4,150,234	7,356,567	177.26	4,693,231	7,846,285	167.18
Mullins	37,058,781	65,995,513	178.08	32,620,576	55,575,623	170.37
Total S.C.	111,191,104	198,031,039	178.10	101,087,030	170,585,768	168.75
North Carolina:						
Clark-Chad 4/	10,962,122	19,464,924	177.57	11,570,856	19,785,055	170.99
Frmont-Frbflf 5/	30,061,032	53,375,833	177.56	30,382,017	52,225,840	171.90
Lumberton	13,604,612	24,163,411	177.61	13,784,860	23,673,992	171.74
Tabor City	15,560,504	27,461,099	176.48	14,703,309	24,798,119	168.66
Whiteville	17,208,457	30,667,717	178.21	18,331,326	31,526,346	171.98
Total N.C.	87,396,727	155,132,984	177.50	88,772,368	152,009,352	171.23
Total type 13	198,587,831	353,164,023	177.84	189,859,398	322,595,120	169.91

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	14,376,577	25,291,692	175.92	15,648,671	26,312,459	168.15
Blackshear	7,619,798	13,443,461	176.43	8,940,865	14,974,757	167.49
Claxton	5,606,229	9,943,142	177.36	5,521,544	9,235,029	167.25
Douglas	12,103,092	21,105,184	174.38	12,053,627	19,695,571	163.40
Moultrie	15,433,722	27,140,309	175.85	11,273,498	18,346,430	162.74
Nashville	11,481,554	20,318,913	176.97	9,980,233	16,649,055	166.82
Tif-Fit-Ocil 6/	3,999,594	7,070,157	176.77	3,216,107	5,339,257	166.02
Pelham	5,275,034	9,246,703	175.29	7,099,463	11,619,133	163.66
Statesboro	3,730,256	6,457,460	173.11	4,650,847	7,648,603	164.46
Val-Hira	7,848,359	13,776,727	175.54	6,575,269	10,682,427	162.46
Vidalia	7,161,926	12,608,988	176.06	7,977,780	13,250,893	166.10
Total Georgia	94,636,141	166,402,736	175.83	92,937,904	153,753,614	165.44
Florida:						
Lake City	6,395,901	11,232,237	175.62	6,331,593	10,335,489	163.24
Live Oak	8,291,638	14,749,298	177.88	8,727,621	14,430,818	165.35
Madison	4,293,507	7,441,960	173.33	2,942,223	4,877,515	165.78
Total Florida	18,981,046	33,423,495	176.09	18,001,437	29,643,822	164.67
Total type 14	113,617,187	199,826,231	175.88	110,939,341	183,397,436	165.31
Total types 11-14	924,849,313	1,659,143,939	179.40	879,023,362	1,496,688,670	170.27

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

2/ Roanoke River is the new name assigned to the Win-Will-Rob markets for the 1995 season.

3/ Kings-Hemway was formed from a merger of the Kingtree and Hemingway markets, for the 1995 season.

4/ Clark-Chad was formed from a merger of the Clarkton and Chadbourn markets, for the 1995 season.

5/ Frmont-Frbflf was formed from a merger of the Fairmont and Fair Bluff markets, for the 1995 season.

6/ Tif-Fit-Ocil was formed from a merger of the Tifton and Ocila-Fitz markets, for the 1995 season.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/

Type 11 - Old Belt flue-cured

Market and State	1995 crop			1994 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
Virginia:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Chase City	72,064	169.38	2.02	40,236	171.75	1.21
Clarksville	294,451	181.50	3.26	341,563	168.24	4.46
Danville	4,291,276	181.93	8.46	4,911,357	171.98	10.04
Kenbridge	5,248	159.68	0.39	5,244	160.51	0.43
Lawrenceville	173,458	178.21	2.26	189,522	168.53	2.90
South Boston	859,318	177.80	5.63	823,522	161.08	4.98
South Hill	252,060	171.11	2.47	248,632	167.19	2.92
Total Virginia	5,947,875	180.58	6.08	6,560,076	170.13	7.08
North Carolina:						
Burl-Meb	68,127	178.71	1.79	67,667	167.90	1.66
Henderson	1,050,440	181.04	4.27	727,587	172.77	5.83
Louisburg	1,481,896	181.32	5.64	1,288,800	175.39	5.97
Mt. Airy	1,661,474	179.11	12.03	1,279,813	172.81	10.53
Oxford	420,730	180.09	3.47	469,085	171.48	4.29
Reidsville	1,547,015	180.82	8.08	1,652,566	174.37	10.29
Roxboro	700,585	180.01	4.02	951,084	169.50	6.65
Stone-Mad	1,027,471	182.47	9.18	1,093,698	170.96	10.26
Warrenton	NOT OPERATING IN 1995			267,658	168.90	3.41
Winston-Salem	3,736,796	180.79	9.66	4,016,568	171.00	11.01
Total N.C.	11,694,534	180.71	7.00	14,367,664	172.28	7.82
Total type 11	17,642,409	180.66	6.66	20,927,740	171.60	7.57

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	237,232	179.94	5.48	273,636	171.65	6.00
Cart-Aber	710,455	182.00	6.84	711,008	175.57	7.14
Clinton	1,161,326	178.03	8.54	1,200,249	173.12	6.83
Farmville	2,223,763	179.46	8.97	1,779,615	171.22	7.50
Fuquay-Varina	1,053,291	180.90	5.05	1,257,287	171.16	6.13
Goldsboro	2,205,225	181.44	8.22	2,215,344	175.57	8.19
Greenville	2,487,379	180.21	7.99	2,303,237	172.16	7.41
Kinston	3,285,739	182.30	7.26	2,470,640	176.60	5.78
Roanoke River 2/	2,359,609	180.87	8.16	2,382,265	171.48	8.94
Rocky Mount	321,068	181.80	2.79	305,320	167.84	3.19
Sanford	554,180	180.67	9.41	584,843	174.42	8.75
Smithfield	2,888,080	181.23	9.12	2,856,849	171.15	8.66
Wallace	247,148	180.62	5.23	167,080	171.65	3.23
Wendell	46,411	180.95	1.63	64,573	166.93	2.27
Wilson	6,819,971	182.37	8.02	7,281,952	174.44	9.36
Total type 12	26,600,877	181.24	7.65	23,300,760	173.37	7.72

See footnotes at end of Table.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/
--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1995 crop			1994 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
South Carolina:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Conway	301,118	179.04	4.95	264,895	165.12	4.39
Darl-Tim	1,133,151	179.41	9.54	1,074,257	169.65	9.81
Kings-Hemway 3/	1,277,236	179.81	6.55	1,300,151	174.01	8.09
Lake City	3,597,659	179.59	11.06	3,426,787	170.82	11.16
Loris	270,520	178.42	6.52	310,750	166.23	6.62
Mullins	3,500,599	180.67	9.45	3,127,850	172.05	9.59
Total S.C.	10,080,283	179.93	9.07	9,504,690	171.22	9.40
North Carolina:						
Clark-Chad 4/	1,011,197	181.59	9.22	869,173	174.20	7.51
Frmont-Frbflf 5/	2,990,777	178.17	9.95	2,756,475	172.59	9.07
Lumberton	748,718	178.31	5.50	428,081	171.37	3.11
Tabor City	1,246,268	179.24	8.01	1,067,781	172.94	7.26
Whiteville	1,716,113	180.03	9.97	1,714,829	161.56	9.35
Total N.C.	7,713,073	179.22	8.83	6,836,339	170.00	7.70
Total type 13	17,793,356	179.62	8.96	16,341,029	170.71	8.61

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	1,601,945	178.34	11.14	1,863,118	171.74	11.91
Blackshear	781,053	178.73	10.25	783,596	166.17	8.76
Claxton	507,648	179.15	9.06	524,706	169.60	9.50
Douglas	1,284,972	177.80	10.62	1,281,672	168.20	10.63
Moutrie	1,442,196	178.28	9.34	1,294,244	162.49	11.48
Nashville	993,487	179.43	8.65	855,704	170.03	8.57
Pelham	569,590	178.89	10.80	677,540	169.01	9.54
Statesboro	402,194	178.02	10.78	470,558	165.44	10.12
Tif-Fit-Ocil 6/	391,939	178.60	9.80	249,826	165.58	7.77
Val-Hira	499,038	177.47	6.36	401,713	160.54	6.11
Vidalia	771,353	177.08	10.77	836,505	168.32	10.49
Total Georgia	9,245,415	178.33	9.77	9,239,182	167.72	9.94
Florida:						
Lake City	384,865	178.25	6.02	618,603	162.75	9.77
Live Oak	913,892	179.96	11.02	897,406	164.74	10.28
Madison	420,313	174.43	9.79	311,944	168.13	10.60
Total Florida	1,719,070	178.23	9.06	1,827,953	164.65	10.15
Total type 14	10,964,485	178.31	9.65	11,067,135	167.21	9.98
Total types 11-14	73,001,127	180.27	7.89	71,636,664	171.30	8.15

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

2/ Roanoke River is the new name assigned to the Win-Will-Rob markets, for the 1995 season.

3/ Kings-Hemway was formed from a merger of the Kingtree and Hemingway markets, for the 1995 season.

4/ Clark-Chad was formed from a merger of the Clarkton and Chadbourn markets, for the 1995 season.

5/ Frrmont-Frbflf was formed from a merger of the Fairmont and Fair Bluff markets, for the 1995 season.

6/ Tif-Fit-Ocil was formed from a merger of the Tifton and Ocila-Fit markets, for the 1995 season.

**Table 10.--Rank of markets by volume of producers' sales, by separate types and by all types,
1995 crop 1/**

Type, market, and State	Sales Mil. lb.	Rank by Separate types	All types	Type, market, and State	Sales Mil. lb.	Rank by Separate types	All types
<u>Type 11</u>							
Danville, Va.	46.4	1	2	Mullins, S.C.	33.6	1	5
Winston-Salem, N.C.	34.9	2	4	Lake City, S.C.	28.9	2	6
Louisburg, N.C.	24.8	3	11	FrMont-FrBlf, N.C.	27.1	3	9
Henderson, N.C.	23.5	4	13	Kings-Hemway, S.C.	18.2	4	16
Reidsville, N.C.	17.6	5	17	Whiteville, N.C.	15.5	5	19
Roxboro, N.C.	16.7	6	18	Tabor City, N.C.	14.3	6	21
South Boston, Va.	14.4	7	20	Lumberton, N.C.	12.9	7	23
Mount Airy, N.C.	12.1	8	26	Darl-Tim, S.C.	10.7	8	30
Oxford, N.C.	11.7	9	27	Clark-Chad, N.C.	10.0	9	33
Stone-Mad, N.C.	10.2	10	32	Conway, S.C.	5.8	10	43
South Hill, Va.	9.9	11	34	Loris, S.C.	3.9	11	49
Clarksville, Va.	8.7	12	36				
Lawrenceville, Va.	7.5	13	37				
Burl-Meb, N.C.	3.7	14	51				
Chase City, Va.	3.5	15	53				
Kenbridge, Va.	1.3	16	56				
<u>Type 12</u>							
Wilson, N.C.	78.2	1	1	Moultrie, Ga.	14.0	1	22
Kinston, N.C.	42.0	2	3	Alma, Ga.	12.8	2	24
Smithfield, N.C.	28.8	3	7	Douglas, Ga.	10.8	3	29
Greenville, N.C.	28.7	4	8	Nashville, Ga.	10.5	4	31
Roanoke Rivr, N.C.	26.6	5	10	Live Oak, Fl.	7.4	5	38
Goldsboro, N.C.	24.6	6	12	Val-Hira, Ga.	7.3	6	39
Farmville, N.C.	22.6	7	14	Blackshear, Ga.	6.8	7	40
Fuquay-Varina, N.C.	19.8	8	15	Vidalia, Ga.	6.4	8	41
Clinton, N.C.	12.4	9	25	Lake City, Fl.	6.0	9	42
Rocky Mount, N.C.	11.2	10	28	Claxton, Ga.	5.1	10	45
Cart-Aber, N.C.	9.7	11	35	Pelham, Ga.	4.7	11	46
Sanford, N.C.	5.3	12	44	Madison, Fl.	3.9	12	50
Wallace, N.C.	4.5	13	47	Tif-Fit-Ocil, Ga.	3.6	13	52
Ahoskie, N.C.	4.1	14	48	Statesboro, Ga.	3.3	14	54
Wendell, N.C.	2.8	15	55				
<u>Type 13</u>							
<u>Type 14</u>							

1/ In instances where producers' sales for two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/

Group and grade 2/	1995 crop Season averages					1995 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
LEAF							LEAF
B1L	192	192	--	--	192	191	B1L
B2L	190	189	190	--	190	189	B2L
B3L	187	186	186	187	187	186	B3L
B4L	184	184	184	184	184	183	B4L
B5L	183	181	180	182	181	176	B5L
B6L 4/	--	--	--	--	--	--	B6L
B1F	192	192	191	--	192	191	B1F
B2F	190	190	190	190	190	189	B2F
B3F	187	187	187	187	187	186	B3F
B4F	184	184	184	184	184	183	B4F
B5F	183	182	181	182	182	176	B5F
B6F 4/	--	--	--	--	--	--	B6F
B1FR	--	--	--	--	--	190	B1FR
B2FR	188	188	(188)	188	188	187	B2FR
B3FR	186	186	186	186	186	185	B3FR
B4FR	184	184	184	184	184	181	B4FR
B5FR	183	184	183	183	183	175	B5FR
B6FR 4/	--	--	--	--	--	--	B6FR
B5R 4/	--	--	--	--	--	--	B5R
B3K	184	184	184	184	184	180	B3K
B4K	184	184	183	183	183	178	B4K
B5K	182	183	182	183	182	171	B5K
B6K 4/	--	--	--	--	--	--	B6K
B3KR	184	184	183	183	184	179	B3KR
B4KR	183	184	182	183	183	174	B4KR
B5KR	183	183	181	182	183	166	B5KR
B3V	183	183	181	183	182	177	B3V
B4V	182	182	180	181	181	171	B4V
B5V	181	180	178	180	179	165	B5V
B3S 4/	--	--	--	--	--	--	B3S
B4S 4/	--	--	--	--	--	--	B4S
B5S 4/	--	--	--	--	--	--	B5S
B3KL	184	181	178	180	181	169	B3KL
B4KL	180	180	176	179	179	165	B4KL
B5KL	178	175	172	176	176	156	B5KL
B6KL 4/	--	--	--	--	--	--	B6KL
B3KF	184	184	181	182	183	169	B3KF
B4KF	183	183	180	181	182	165	B4KF
B5KF	180	181	178	180	180	156	B5KF
B6KF 4/	--	--	--	--	--	--	B6KF
B3KD 4/	--	--	--	--	--	--	B3KD
B4KD 4/	--	--	--	--	--	--	B4KD
B5KD 4/	--	--	--	--	--	--	B5KD
B6KD 4/	--	--	--	--	--	--	B6KD
B4KV	181	182	179	179	181	159	B4KV
B5KV	178	179	177	177	178	150	B5KV
B6KV 4/	--	--	--	--	--	--	B6KV
B3KM	183	183	181	182	183	173	B3KM
B4KM	182	182	179	181	181	170	B4KM
B5KM	181	179	177	178	179	164	B5KM
B6KM 4/	--	--	--	--	--	--	B6KM
B3KK 4/	--	--	--	--	--	--	B3KK
B4KK 4/	--	--	--	--	--	--	B4KK
B5KK 4/	--	--	--	--	--	--	B5KK
B6KK 4/	--	--	--	--	--	--	B6KK
B4G	179	180	177	177	178	152	B4G
B5G	173	178	173	176	176	144	B5G
B6G 4/	--	--	--	--	--	--	B6G
B5GR 4/	--	--	--	--	--	--	B5GR
B4GK	180	180	177	176	179	150	B4GK
B5GK	176	176	175	173	175	143	B5GK
B6GK 4/	--	--	--	--	--	--	B6GK
B5GG 4/	--	--	--	--	--	--	B5GG

See footnotes at end of table.

Table 11...Season average prices and support rates by individual grades, per 100 pounds 1/
--Continued

Group and grade 2/	1995 crop Season averages					1995 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
SMOKING LEAF							SMOKING LEAF
H3F	187	187	187	187	187	186	H3F
H4F	184	184	184	184	184	183	H4F
H5F	184	182	182	182	183	176	H5F
H6F 4/	--	--	--	--	--	--	H6F
H4FR	184	184	184	184	184	181	H4FR
H5FR	183	184	184	184	184	175	H5FR
H6FR 4/	--	--	--	--	--	--	H6FR
H4K	184	184	183	184	184	178	H4K
H5K	182	183	182	183	183	171	H5K
H6K 4/	--	--	--	--	--	--	H6K
CUTTERS							CUTTERS
C1L	--	(178)	183	--	181	177	C1L
C2L	180	183	179	--	180	176	C2L
C3L	180	180	177	179	179	171	C3L
C4L	178	176	173	174	176	165	C4L
C5L	176	174	171	172	174	160	C5L
C5LP 4/	--	--	--	--	--	--	C5LP
C1F	182	(178)	178	--	180	177	C1F
C2F	180	182	179	--	180	176	C2F
C3F	180	179	177	179	179	171	C3F
C4F	179	177	174	174	177	165	C4F
C5F	178	175	172	173	175	160	C5F
C5FP 4/	--	--	--	--	--	--	C5FP
C4KR	179	177	173	174	176	160	C4KR
C4V	178	176	172	172	175	157	C4V
C4LL 4/	--	--	--	--	--	--	C4LL
C5LL 4/	--	--	--	--	--	--	C5LL
C4S 4/	--	--	--	--	--	--	C4S
C4KL	180	175	171	172	173	154	C4KL
C4KF	178	177	173	174	175	154	C4KF
C4KM	179	176	172	173	175	156	C4KM
C4KK 4/	--	--	--	--	--	--	C4KK
C4G	174	174	170	172	173	143	C4G
C4GK	176	174	170	170	172	138	C4GK
LUGS							LUGS
X1L	177	--	--	--	176	171	X1L
X2L	174	172	166	--	172	163	X2L
X3L	174	170	167	164	170	159	X3L
X4L	173	169	166	163	169	148	X4L
X5L	172	168	165	162	167	135	X5L
X1F	176	175	--	--	175	171	X1F
X2F	176	172	167	166	172	163	X2F
X3F	175	171	168	166	171	159	X3F
X4F	175	171	167	165	170	148	X4F
X5F	172	170	166	164	168	135	X5F
X3KR	176	171	168	166	171	155	X3KR
X4KR	174	171	166	169	170	147	X4KR
X3V	174	170	168	164	169	152	X3V
X4V	174	170	167	164	168	144	X4V
X3LL 4/	--	--	--	--	--	--	X3LL
X4LL 4/	--	--	--	--	--	--	X4LL
X3S 4/	--	--	--	--	--	--	X3S
X4S 4/	--	--	--	--	--	--	X4S
X4KL	174	171	166	164	166	133	X4KL
X4KF	171	170	166	160	162	133	X4KF
X4KV	172	171	167	165	169	129	X4KV
X3KM	175	170	167	166	169	147	X3KM
X4KM	174	170	166	164	167	138	X4KM
X4G	171	170	166	161	165	128	X4G
X5G	169	169	165	160	164	124	X5G
X4GK	171	170	166	164	167	127	X4GK

See footnotes at end of table.

**Table 11. --Season average prices and support rates by individual grades, per 100 pounds 1/
--Continued**

Group and grade 2/	1995 crop Season averages					1995 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
PRIMINGS							PRIMINGS
P2L	172	--	160	156	166	146	P2L
P2LS	--	--	--	--	--	131	P2LS
P3L	171	163	160	154	165	136	P3L
P3LS	--	--	--	--	--	122	P3LS
P4L	169	163	161	154	163	132	P4L
P4LS	--	--	--	(160)	(165)	119	P4LS
P5L	166	156	162	154	161	0	P5L
P5LS	--	--	--	--	--	0	P5LS
P2F	171	--	161	--	166	146	P2F
P2FS	--	--	--	--	--	131	P2FS
P3F	172	163	160	155	165	136	P3F
P3FS	--	--	--	--	(159)	122	P3FS
P4F	171	164	160	155	163	132	P4F
P4FS	(171)	--	--	--	--	119	P4FS
P5F	167	158	156	153	159	0	P5F
P5FS	--	--	--	--	--	0	P5FS
P4G	169	152	155	155	159	116	P4G
P4GS	--	--	--	--	--	104	P4GS
P5G	166	161	154	152	156	0	P5G
P5GS	--	--	--	--	--	0	P5GS
MIXED							MIXED
M4F	--	--	--	--	--	143	M4F
M5F	--	--	--	--	--	132	M5F
M4KR	--	--	--	--	--	130	M4KR
M4KM	171	--	--	--	171	129	M4KM
M5KM	(182)	(166)	--	--	172	126	M5KM
M4GK	--	--	--	--	--	118	M4GK
M5GK	--	--	--	168	160	112	M5GK
NONDESCRIPT							NONDESCRIPT
N1L	161	151	158	158	158	0	N1L
N1LS	--	--	--	--	--	0	N1LS
N1XL	165	164	162	162	163	0	N1XL
N1K	176	178	177	181	178	143	N1K
N1R	165	169	167	(171)	168	127	N1R
N1GL	161	155	159	156	157	0	N1GL
N1GLS	--	--	--	--	--	0	N1GLS
N1GF	164	165	167	164	165	116	N1GF
N1KV	168	170	169	177	172	118	N1KV
N1GR	155	(160)	154	165	158	114	N1GR
N1GG	(174)	--	--	--	177	104	N1GG
N1PO 4/	--	--	--	--	--	--	N1PO
N1POS 4/	--	--	--	--	--	--	N1POS
N1XO	166	163	161	159	161	0	N1XO
N1BO	172	178	176	174	175	124	N1BO
N2	133	131	138	155	139	0	N2
NO-G	113	112	126	122	121	0	NO-G
NO-G-F	178	173	163	165	167	0	NO-G-F
NO-G-F-S	--	--	--	--	--	0	NO-G-F-S
NO-G-N	--	--	--	--	--	0	NO-G-N
W-unsafe	(178)	151	--	--	158	0	W-unsafe
U-unsound	152	166	145	151	154	0	U-unsound
S-scrap	--	--	--	--	--	0	S-scrap

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded. Dashes indicate that less than 10 lots were recorded.

2/ For key to standard trademarks see brief of classification on page 5.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C.

4/ These grades suspended for use on the 1995 crop.

Table 12...Average prices by weeks for representative grades and season averages 1/

Type 11 - 1995 crop

Group and grade	Week ending							
	July 21	July 28	Aug. 4	Aug. 11	Aug. 18	Aug. 25	Sep. 1	Sep. 8
B2F	--	190	190	190	--	--	190	190
B3F	187	187	187	187	187	187	187	187
B4F	184	184	184	184	184	184	184	184
B5F	183	184	184	184	184	181	182	182
B3FR	--	--	186	186	--	--	--	--
B4FR	183	184	184	--	--	--	--	183
B3K	184	184	184	184	184	184	182	183
B4K	183	184	184	184	184	183	182	183
B5K	182	184	184	183	183	179	179	181
B3KR	183	184	184	184	184	183	183	184
B4KR	183	184	184	184	183	183	182	183
B5KR	182	184	184	184	--	--	--	--
B3V	--	--	--	--	--	180	182	182
B4V	--	--	--	--	--	179	181	181
B3KL	183	184	184	184	--	--	--	--
B3KF	183	184	184	184	184	183	182	181
B4KF	182	184	184	184	183	181	179	181
B5KF	178	183	180	179	175	174	175	178
B4KV	181	182	180	179	--	176	178	179
B5KV	180	183	176	--	--	172	172	173
B3KM	183	184	184	184	182	180	181	182
B4KM	183	184	183	184	180	179	180	182
B5KM	--	--	--	--	--	179	178	180
B4GK	182	184	184	179	178	173	177	178
B5GK	177	182	180	177	--	--	164	173
H3F	187	187	187	187	187	187	187	187
H4F	184	184	184	184	184	184	184	184
H5F	--	185	184	--	--	181	184	184
H4FR	--	--	184	--	--	--	--	--
H4K	184	184	184	184	184	182	182	183
H5K	182	184	183	183	178	180	182	181
C3L	--	--	--	174	177	179	181	182
C4L	--	184	176	172	175	178	180	181
C5L	--	--	169	171	175	176	179	179
C3F	--	184	184	175	177	179	181	182
C4F	176	183	180	174	176	178	180	181
C5F	178	182	176	172	175	177	179	180
C4KR	--	--	--	173	175	177	180	180
C4V	--	--	--	171	175	177	179	180
C4KF	--	183	179	--	--	177	178	180
C4KM	--	183	179	173	175	177	180	181
X3L	--	--	165	171	174	176	178	179
X4L	--	--	165	170	174	175	176	178
X3F	--	--	168	171	174	177	178	180
X4F	160	167	167	170	174	175	177	178
X5F	--	162	162	168	173	172	175	175
X4V	--	--	163	170	174	174	176	177
X4KF	--	--	166	161	173	172	174	172
X4KV	--	--	163	165	173	171	173	174
X4KM	--	--	--	170	174	175	177	177
P4L	--	153	163	169	173	173	171	--
P3F	--	--	163	170	173	175	177	179
P4F	--	151	162	169	173	174	174	175
P5F	--	146	157	167	171	172	171	174
N1L	--	--	151	160	170	165	164	167
N1XL	--	164	151	157	172	169	171	170
N1K	166	178	175	168	161	--	--	175
N1XO	--	--	161	166	169	170	164	162
N2	139	141	143	129	144	149	116	135

See footnotes at end of table.

Table 12. --Average prices by weeks for representative grades and season averages
 --Continued

Type 11 - 1995 crop

Group and grade	Week ending						Season	
	Sep. 15	Sep. 22	Sep. 29	Oct. 6	Oct. 13	Oct. 20	1995	1994
B2F	190	190	190	190	190	189	190	190
B3F	187	187	187	187	187	186	187	187
B4F	184	184	184	184	184	184	184	184
B5F	184	184	184	184	184	182	183	180
B3FR	186	186	186	186	186	186	186	186
B4FR	184	184	184	184	184	182	184	184
B3K	184	184	184	184	184	182	184	183
B4K	184	184	184	184	184	180	184	182
B5K	183	184	184	184	183	176	182	177
B3KR	184	184	184	184	184	181	184	182
B4KR	184	184	184	184	183	178	183	180
B5KR	183	184	184	184	184	175	183	176
B3V	184	184	184	184	183	181	183	181
B4V	183	184	184	183	182	176	182	176
B3KL	183	184	184	--	--	--	184	173
B3KF	184	183	184	184	183	177	184	174
B4KF	183	184	184	184	182	175	183	170
B5KF	180	183	183	183	180	173	180	161
B4KV	183	183	184	183	181	175	181	172
B5KV	179	182	182	182	179	174	178	165
B3KM	184	184	184	184	184	179	183	179
B4KM	184	184	184	184	182	176	182	177
B5KM	183	183	182	184	--	175	181	172
B4GK	182	182	182	183	179	175	180	166
B5GK	177	177	179	178	177	169	176	160
H3F	187	187	187	187	187	187	187	187
H4F	184	184	184	184	184	184	184	184
H5F	184	184	184	184	183	182	184	181
H4FR	184	184	184	184	184	182	184	184
H4K	184	184	184	184	184	181	184	183
H5K	183	184	184	184	183	176	182	180
C3L	183	184	184	183	--	--	180	176
C4L	182	183	183	181	179	178	178	172
C5L	181	182	181	--	174	--	176	167
C3F	184	183	184	183	182	180	180	176
C4F	183	183	183	182	179	176	179	173
C5F	182	182	182	180	174	173	178	169
C4KR	183	182	183	183	--	--	179	169
C4V	181	183	--	181	169	--	178	169
C4KF	183	182	--	--	--	168	178	164
C4KM	183	184	181	180	180	172	179	168
X3L	182	181	--	--	--	--	174	164
X4L	179	180	181	176	166	--	173	157
X3F	182	182	181	180	174	--	175	166
X4F	180	180	179	179	170	164	175	158
X5F	176	178	175	168	168	151	172	149
X4V	180	--	--	--	--	--	174	153
X4KF	175	179	176	176	--	159	171	147
X4KV	174	175	--	--	--	--	172	146
X4KM	181	--	--	--	--	--	174	152
P4L	177	--	--	--	--	--	169	143
P3F	--	--	--	--	--	--	172	151
P4F	177	--	--	170	--	145	171	144
P5F	--	--	--	--	--	--	167	136
N1L	167	159	--	--	--	129	161	130
N1XL	170	163	169	120	134	120	165	138
N1K	177	179	181	182	177	172	176	154
N1X0	165	--	--	--	--	--	166	139
N2	154	150	151	134	112	101	133	119

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.
 2/ No averages shown after Oct. 20 due to limited sales.

Table 13.--Average prices by weeks for representative grades and season averages 1/

Type 12 - 1995 crop

Group and grade	Week ending						
	July 21	July 28	Aug. 4	Aug. 11	Aug. 18	Aug. 25	Sep. 1
B3L	--	--	187	--	185	186	186
B4L	--	--	--	--	184	183	184
B2F	--	190	190	190	190	--	190
B3F	187	187	187	187	187	187	187
B4F	184	184	184	184	183	184	184
B3FR	--	186	--	--	--	--	--
B4FR	--	--	--	--	--	184	184
B3K	184	184	184	184	183	182	183
B4K	184	184	184	184	182	182	182
B5K	183	184	184	184	179	178	181
B3KR	183	184	184	184	182	182	183
B4KR	183	184	184	183	182	181	182
B5KR	183	184	184	182	183	178	181
B3KF	183	184	184	184	182	180	181
B4KF	182	184	184	184	182	180	181
B5KF	180	183	183	181	180	175	177
B4KV	--	--	--	173	175	178	178
B5KV	181	--	--	170	170	173	173
B3KM	183	184	184	181	179	181	182
B4KM	183	184	183	178	178	180	182
B5KM	183	184	182	174	176	178	180
B4GK	181	184	181	174	175	178	179
B5GK	--	177	181	172	174	174	176
H3F	--	187	187	--	--	--	187
H4F	--	184	184	--	184	184	184
H4K	184	184	184	184	--	181	183
H5K	183	184	184	--	177	179	181
C3L	--	--	174	175	178	180	182
C4L	--	169	170	173	176	179	181
C5L	--	166	168	172	176	178	180
C3F	178	184	176	175	177	180	182
C4F	176	175	170	173	176	179	181
C5F	168	169	168	172	175	178	180
C4KR	179	178	170	173	176	179	181
C4V	--	--	168	173	175	179	181
C4KF	--	175	169	174	175	177	181
C4KM	168	173	169	172	176	178	180
X3L	165	164	167	171	175	177	179
X4L	158	162	166	171	174	176	178
X5L	--	158	164	170	173	174	173
X3F	--	164	167	171	175	177	179
X4F	157	162	166	171	174	176	178
X5F	154	158	165	170	173	173	176
X3V	--	164	167	171	175	177	--
X4V	--	162	166	170	174	175	175
X4KV	--	154	163	169	172	172	170
X3KM	163	165	166	171	175	177	179
X4KM	155	164	165	171	174	176	177
P3L	153	162	165	171	--	--	--
P4L	150	158	163	169	172	--	--
P4F	146	158	164	167	172	175	--
P5F	134	150	161	168	161	--	130
N1XL	--	154	161	168	170	161	157
N1K	178	180	177	177	178	168	173
N1R	--	176	168	163	169	--	--
N1KV	--	--	--	--	160	165	154
N1XO	143	154	161	168	170	169	167
N1BO	179	181	178	171	--	--	178
N2	153	158	137	156	136	136	113

See footnotes at end of tables.

Table 13.--Average prices by weeks for representative grades and season averages 1/
--Continued

Type 12 - 1995 crop

Group and grade	Week ending						Season	
	Sep. 8	Sep. 15	Sep. 22	Sep. 29	Oct. 6	Oct. 13	27/13	1995
B3L	187	187	187	186	186	186	186	187
B4L	184	184	184	184	185	184	184	184
B2F	190	190	190	190	190	189	190	190
B3F	187	187	187	187	187	187	187	187
B4F	184	184	184	184	184	184	184	184
B3FR	186	186	186	186	186	186	186	186
B4FR	--	184	184	184	184	184	184	184
B3K	184	184	184	184	184	184	184	183
B4K	184	184	184	184	184	184	184	182
B5K	182	184	184	184	184	183	183	178
B3KR	184	184	184	184	184	184	184	182
B4KR	183	184	184	184	184	184	184	180
B5KR	182	184	184	184	184	183	183	175
B3KF	183	184	184	184	184	--	184	176
B4KF	183	184	184	184	184	183	183	173
B5KF	180	182	183	183	182	180	181	166
B4KV	181	184	184	183	184	184	182	172
B5KV	179	183	182	183	183	173	179	166
B3KM	184	184	184	184	184	184	183	180
B4KM	183	184	184	184	184	184	182	177
B5KM	181	184	184	183	182	182	179	172
B4GK	182	183	184	183	184	182	180	167
B5GK	176	181	180	180	176	180	176	162
H3F	187	187	187	187	187	187	187	187
H4F	184	184	184	184	184	184	184	184
H4K	183	184	184	184	184	184	184	183
H5K	181	184	184	184	184	184	183	180
C3L	184	184	185	183	181	184	180	177
C4L	182	183	184	183	179	180	176	172
C5L	181	183	183	182	177	175	174	168
C3F	183	184	184	184	183	--	179	178
C4F	183	183	183	183	182	179	177	173
C5F	181	183	183	182	181	180	175	169
C4KR	182	184	183	184	183	--	177	169
C4V	181	184	--	--	--	--	176	167
C4KF	--	181	183	183	184	--	177	163
C4KM	182	183	183	183	183	179	176	167
X3L	181	--	182	--	--	--	170	163
X4L	181	183	181	180	170	--	169	155
X5L	--	--	--	--	--	--	168	148
X3F	181	182	183	--	--	165	171	165
X4F	180	182	182	177	178	166	171	157
X5F	178	180	178	173	173	162	170	147
X3V	--	--	--	--	--	--	170	160
X4V	179	--	--	--	--	--	170	152
X4KV	175	179	175	170	--	--	171	143
X3KM	--	--	--	--	--	--	170	159
X4KM	180	183	182	171	167	--	170	151
P3L	--	--	--	--	--	--	163	144
P4L	--	--	--	--	--	--	163	140
P4F	--	--	175	--	--	--	164	140
P5F	--	--	172	--	--	--	158	133
N1XL	167	179	176	165	131	123	164	138
N1K	174	180	180	181	180	180	178	162
N1R	161	172	175	174	176	166	169	147
N1KV	166	174	174	174	180	--	170	149
N1XO	--	152	154	--	--	133	163	140
N1BO	--	179	176	176	181	--	178	160
N2	128	129	135	139	112	93	131	126

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.
2/ No averages shown after Oct. 13 due to limited sales.

Table 14.--Average prices by weeks for representative grades and season averages 1/

Type 13 - 1995 crop

Group and grade	Week ending						
	July 21	July 28	Aug. 4	Aug. 11	Aug. 18	Aug. 25	Sep. 1
B3L	--	--	--	--	187	187	186
B4L	--	--	--	183	184	184	184
B5L	--	--	--	178	178	179	182
B3F	187	187	--	--	187	187	187
B4F	184	184	184	184	184	184	184
B5F	183	183	178	177	178	180	182
B4FR	183	--	--	--	--	183	184
B3K	184	184	184	183	182	182	183
B4K	183	184	184	183	180	181	182
B5K	182	184	183	178	175	178	181
B3KR	183	184	184	182	180	181	183
B4KR	182	184	184	179	178	179	182
B5KR	182	182	175	--	176	178	182
B3V	--	--	--	177	178	180	183
B4V	--	--	--	174	176	179	182
B4KL	--	--	--	172	175	177	180
B3KF	180	--	--	--	176	179	181
B4KF	181	184	177	175	175	177	180
B5KF	178	180	179	174	173	170	175
B4KV	--	--	--	--	172	174	180
B5KV	--	--	--	170	171	173	175
B3KM	182	184	180	175	176	180	182
B4KM	182	183	179	173	176	179	181
B5KM	180	179	179	173	174	176	181
B4GK	--	--	176	172	172	173	178
H3F	--	--	--	--	--	187	187
H4F	184	184	--	--	184	184	184
H5F	181	184	--	--	179	180	182
H4K	183	184	183	180	180	182	183
H5K	183	184	184	175	175	179	182
C3L	--	--	173	173	176	179	182
C4L	--	167	169	172	175	178	181
C5L	--	165	168	171	174	176	179
C3F	--	--	173	174	176	179	182
C4F	--	167	169	172	175	178	180
C5F	165	165	167	172	174	176	179
C4KR	--	164	167	172	175	176	180
C4V	--	164	168	172	174	177	179
C4KM	169	166	168	172	174	177	179
X3L	163	164	167	171	174	176	--
X4L	156	163	165	170	172	173	176
X3F	162	165	166	170	174	175	178
X4F	155	163	165	170	173	174	176
X5F	153	160	164	170	172	171	173
X4V	151	161	165	170	173	173	--
X4KF	147	161	164	170	172	170	--
X4KV	--	160	164	169	171	168	166
X3KM	--	164	167	170	173	175	--
X4KM	151	163	166	170	173	173	175
P4L	150	160	165	171	--	--	--
P3F	155	160	166	--	--	--	--
P4F	149	159	165	170	171	169	--
P5F	147	156	161	169	--	--	--
N1XL	--	155	162	169	170	168	160
N1K	176	179	175	--	170	171	174
N1KV	--	--	--	--	152	169	165
N1XO	144	156	162	169	165	162	162
N1BO	177	180	--	--	--	168	167
N2	138	146	129	145	138	153	128

See footnotes at end of table.

Table 14.--Average prices by weeks for representative grades and season averages 1/
--Continued

Type 13 - 1995 crop

Group and grade	Week ending						Season		
	Sep. 8	Sep. 15	Sep. 22	Sep. 29	Oct. 6	Oct. 13	2/	1995	1994
B3L	186	187	187	186	186	185		186	187
B4L	184	184	184	185	184	182		184	184
B5L	184	--	184	--	182	--		180	179
B3F	187	187	187	187	187	186		187	187
B4F	184	184	184	184	184	184		184	184
B5F	183	184	184	184	183	181		181	180
B4FR	184	184	184	184	184	182		184	183
B3K	184	184	184	184	184	182		184	183
B4K	183	184	184	184	183	181		183	181
B5K	182	184	184	183	181	178		182	176
B3KR	184	184	184	184	183	181		183	181
B4KR	183	184	184	184	183	180		182	179
B5KR	182	184	183	184	182	176		181	173
B3V	184	184	184	184	183	181		181	180
B4V	183	184	184	184	183	178		180	177
B4KL	183	--	--	183	--	--		176	170
B3KF	182	185	184	184	183	--		181	177
B4KF	182	184	183	184	181	177		180	172
B5KF	181	183	184	183	179	176		178	165
B4KV	181	183	182	183	179	177		179	170
B5KV	176	181	183	180	178	--		177	165
B3KM	183	184	184	184	182	179		181	178
B4KM	183	184	184	184	182	179		179	175
B5KM	184	183	183	181	180	179		177	170
B4GK	181	184	183	183	179	--		177	166
H3F	187	187	187	187	187	186		187	187
H4F	184	184	184	184	184	184		184	184
H5F	183	184	184	184	183	180		182	179
H4K	184	184	184	184	184	182		183	182
H5K	183	184	184	184	182	179		182	179
C3L	183	184	--	182	182	--		177	175
C4L	181	184	183	--	177	--		173	170
C5L	182	--	--	--	--	--		171	165
C3F	183	184	184	183	179	176		177	175
C4F	182	183	183	182	177	171		174	170
C5F	181	183	181	182	179	171		172	166
C4KR	--	184	182	182	--			173	167
C4V	--	--	--	--	--	--		172	165
C4KM	--	184	183	182	179	--		172	164
X3L	--	--	--	--	--	--		167	162
X4L	--	--	--	--	--	--		166	152
X3F	--	183	--	--	--	--		168	162
X4F	179	181	179	178	174	163		167	154
X5F	176	175	173	173	161	--		166	143
X4V	--	--	--	--	--	--		167	150
X4KF	--	--	--	--	--	--		166	147
X4KV	--	--	--	--	--	--		167	140
X3KM	--	--	--	--	--	--		167	153
X4KM	--	--	--	--	--	--		166	145
P4L	--	--	--	--	--	--		161	137
P3F	--	--	--	--	--	--		160	141
P4F	--	--	--	--	--	--		160	137
P5F	--	--	--	--	--	--		156	131
N1XL	164	--	160	147	128	--		162	130
N1K	177	180	180	180	178	172		177	152
N1KV	156	170	174	173	175	--		169	145
N1XO	173	170	158	118	122	129		161	132
N1BO	171	179	176	178	174	174		176	155
N2	111	138	152	144	141	113		138	114

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.
2/ No averages shown after Oct. 13 due to limited sales.

Table 15.--Average prices by weeks for representative grades and season averages 1/

Type 14 - 1995 crop

Group and grade	Week ending											Season			
	July 21	July 28	Aug. 4	Aug. 11	Aug. 18	Aug. 25	Sep. 1	Sep. 8	Sep. 15	Sep. 22	Sep. 29	2/	1995	1994	
B3F	--	--	--	187	187	187	187	187	187	187	187		187	187	
B4F	--	--	183	184	184	184	184	184	184	184	184		184	184	
B5F	--	--	176	178	180	182	182	184	184	184	184		182	182	
B3FR	--	--	--	--	--	--	--	186	186	186	186		186	186	
B4FR	--	--	--	--	182	184	183	184	184	184	184		184	183	
B3K	--	--	--	182	183	183	184	184	184	184	184		184	183	
B4K	--	--	178	180	182	183	183	184	184	184	184		183	182	
B5K	178	--	172	174	179	181	182	183	184	184	184		183	179	
B3KR	--	--	--	--	182	183	183	184	184	184	184		183	182	
B4KR	--	--	--	175	181	182	183	184	184	184	184		183	180	
B5KR	--	--	--	--	--	180	182	184	184	184	184		182	177	
B4V	--	--	--	174	179	180	182	183	184	184	184		181	176	
B4KL	--	--	171	175	178	179	181	182	184	184	184		179	175	
B3KF	--	--	170	174	180	182	182	184	184	184	184		182	177	
B4KF	--	168	171	177	178	180	182	184	184	184	184		181	173	
B5KF	--	167	169	174	176	175	179	182	184	184	184		180	165	
B4KV	--	--	--	172	173	175	180	182	184	184	184		179	170	
B5KV	--	--	169	169	172	174	177	180	183	183	184		177	165	
B3KM	--	173	174	175	181	182	182	184	184	184	184		182	179	
B4KM	--	171	172	175	179	181	182	183	184	184	184		181	176	
B5KM	--	166	168	173	177	178	179	182	184	184	184		178	171	
B4GK	--	166	167	174	174	175	180	182	184	184	184		176	164	
B5GK	--	--	167	172	171	168	175	177	184	184	184		--	173	159
H3F	--	--	--	--	186	--	187	187	187	187	187		187	187	
H4F	--	--	--	183	184	184	184	184	184	184	184		184	184	
H5F	--	176	--	178	182	--	182	--	--	184	184		182	183	
H4K	--	--	--	--	183	183	184	184	184	184	184		184	183	
H5K	--	--	--	--	179	183	183	184	184	184	184		183	181	
C4L	166	166	171	174	178	182	182	182	--	184	--		174	168	
C5L	163	166	170	172	176	178	181	--	--	--	--		172	164	
C4F	166	168	171	174	178	181	183	182	184	183	--		174	169	
C5F	164	166	170	173	176	179	182	180	184	182	--		173	165	
C4V	159	164	170	173	176	179	181	--	--	--	--		172	161	
C4KL	--	165	169	174	177	179	181	182	--	--	--		172	163	
C4KF	159	166	169	173	175	179	181	181	--	--	--		174	161	
C4KM	161	165	170	173	176	180	181	182	184	184	--		173	162	
X4L	154	163	167	171	174	--	--	--	--	--	--		163	152	
X3F	161	163	168	172	174	176	--	--	--	--	--		166	161	
X4F	154	163	168	172	174	176	179	181	180	181	--		165	153	
X5F	149	163	166	171	173	172	171	--	182	182	174		164	141	
X4V	152	163	167	171	173	--	--	--	--	--	--		164	149	
X4KL	155	163	166	172	174	--	--	--	--	--	--		164	146	
X4KF	152	163	166	171	172	171	173	179	--	--	--		160	143	
X4KV	148	162	165	170	170	168	170	--	--	--	--		165	137	
X3KM	155	164	168	172	174	--	--	--	--	--	--		166	154	
X4KM	152	163	168	172	174	175	176	--	--	--	--		164	144	
X4G	148	162	165	171	166	--	--	--	--	--	--		161	137	
X4GK	149	163	167	171	169	--	--	--	--	--	--		164	135	
P4L	147	162	165	--	--	--	--	--	--	--	--		154	136	
P3F	151	161	167	172	--	--	--	--	--	--	--		155	140	
P4F	148	161	166	171	173	--	--	--	--	--	--		155	136	
P5F	144	161	163	171	--	--	--	--	--	--	--		153	129	
N1XL	147	160	164	167	163	165	--	--	--	--	--		162	129	
N1K	--	--	--	--	176	175	179	180	183	184	183		181	160	
N1GL	133	158	163	167	156	--	--	--	--	--	--		156	120	
N1KV	--	--	--	--	174	169	171	173	182	184	180		177	148	
N1XO	141	160	164	169	168	157	171	--	--	--	--		159	128	
N1BO	156	--	--	167	166	168	167	176	183	183	179		174	150	
N2	130	150	153	160	149	158	148	147	157	174	170		155	114	

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after Sep. 29 due to limited sales.

Table 16.--Warehouse charges by states, 1995 crop

State	Type	Auction fee 1/	Commission on gross sales 1/	Additional charges
Florida	14	15 cents on all piles of 100 pounds or less and 25 cents on all piles over 100 pounds	2-3/4	Weighing and handling 10 cents per pile on all piles of 100 pounds or less, and 10 cents for each additional 100 pounds.
Georgia	14		3-1/2 2/	
North Carolina	11-13		2-1/2	
South Carolina	13		2-1/2	
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100 pounds.

1/ Maximum permitted under State law.

2/ Georgia is commission only - no auction fee or additional charges.

Table 17.--Average weight per lot, 1990-95 crops

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
	Pounds	Pounds	Pounds	Pounds	Pounds
1990	204	202	197	195	200
1991	204	198	197	190	199
1992	207	201	199	199	201
1993	204	203	204	195	202
1994	204	201	199	194	201
1995	202	201	197	195	200

Table 18.--Tobacco received by the Stabilization Corporation, 1992-95 crops

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lb.	Percent	1,000 lb.	Percent	1,000 lb.	Percent
1992	20,640	7.4	24,348	7.8	25,934	13.8
1993	64,857	23.5	46,066	14.8	70,498	37.0
1994	32,847	12.9	26,595	9.6	24,558	14.2
1995	4,192	1.7	3,160	1.0	3,050	1.7

Crop	Type 14		Types 11-14 1/	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lb.	Percent	1,000 lb.	Percent
1992	10,331	8.5	81,253	9.0
1993	23,419	20.3	204,840	23.0
1994	13,670	13.7	97,670	12.1
1995	1,074	1.0	11,477	1.3

1/ Details may not add to totals due to rounding.

Table 19.--Percentage distribution by groups and types, 1991-95 crops 1/

Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
(Type 11)									
1991	--	58.4	3.8	9.3	14.2	12.1	--	1.9	0.3
1992	--	63.1	4.8	5.8	13.5	11.0	--	1.5	0.3
1993	--	65.2	1.9	6.0	14.0	10.7	--	1.9	0.3
1994	--	59.1	3.8	10.0	15.7	9.9	--	1.4	0.1
1995	--	59.7	10.4	11.7	13.5	2.8	--	1.6	0.3
(Type 12)									
1991	--	61.8	2.1	7.3	16.0	9.4	--	3.0	0.4
1992	--	68.1	1.1	6.9	14.6	7.5	--	1.6	0.2
1993	--	64.1	0.5	6.5	17.0	9.2	--	2.6	0.1
1994	--	63.4	1.9	9.9	17.4	6.0	--	1.4	--
1995	--	69.4	2.5	11.7	14.1	0.5	--	1.5	0.3
(Type 13)									
1991	--	57.7	4.6	8.8	17.1	5.6	--	5.1	1.1
1992	--	58.3	2.7	10.9	15.9	8.2	--	3.5	0.5
1993	--	65.5	3.3	4.5	16.7	6.1	--	3.5	0.4
1994	--	63.1	7.1	7.9	12.6	7.2	--	1.8	0.3
1995	--	58.9	10.4	11.3	14.0	1.9	--	2.9	0.6
(Type 14)									
1991	--	56.5	5.2	3.7	11.0	7.8	--	13.8	2.0
1992	--	55.4	3.3	6.2	14.5	12.1	--	7.4	1.1
1993	--	56.4	2.4	4.6	16.8	12.4	--	6.9	0.5
1994	--	47.4	8.9	5.5	15.5	13.0	--	9.1	0.6
1995	--	56.0	3.3	8.5	23.4	4.1	--	4.2	0.5

1/ Dashes indicate a percentage of less than 0.1.

Table 20.--Percentage distribution by qualities and types, 1991-95 crops 1/

Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 2/ Poor	Nondescript	Misc.
(Type 11)								
1991	--	0.3	23.5	58.7	14.7	0.6	1.9	0.3
1992	--	0.7	33.5	56.3	7.4	0.3	1.5	0.3
1993	--	0.5	18.8	58.9	18.7	0.9	1.9	0.3
1994	--	0.9	27.4	57.2	12.5	0.5	1.4	0.1
1995	0.1	0.8	30.0	53.4	13.8	--	1.6	0.3
(Type 12)								
1991	--	0.2	17.2	59.4	18.6	1.2	3.0	0.4
1992	--	0.1	30.6	55.8	11.0	0.7	1.6	0.2
1993	--	0.1	15.4	60.2	19.7	1.9	2.6	0.1
1994	--	0.2	22.3	61.6	13.8	0.7	1.4	--
1995	--	0.7	34.7	51.2	11.6	--	1.5	0.3
(Type 13)								
1991	--	0.1	13.7	55.5	22.3	2.2	5.1	1.1
1992	--	0.4	20.7	58.9	15.3	0.7	3.5	0.5
1993	--	0.1	11.6	57.5	24.5	2.4	3.5	0.4
1994	--	0.2	22.8	60.7	13.6	0.6	1.8	0.3
1995	--	0.5	24.0	55.2	16.8	--	2.9	0.6
(Type 14)								
1991	--	0.1	4.7	38.7	32.9	7.8	13.8	2.0
1992	--	--	10.5	57.2	22.0	1.8	7.4	1.1
1993	--	0.1	8.0	52.6	28.4	3.5	6.9	0.5
1994	--	0.3	9.5	53.3	24.2	3.0	9.1	0.6
1995	--	0.1	13.9	59.2	22.1	--	4.2	0.5

1/ Dashes indicate a percentage of less than 0.1.

2/ Restricted for use in 1995.

Table 21.--Percentage distribution by colors and types, 1991-95 crops 1/

Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K(SF)	G-GK	Nondescript	Misc.
(Type 11)											
1991	4.2	28.2	0.4	36.9	--	1.1	1.4	23.0	2.6	1.9	0.3
1992	4.3	27.3	1.4	47.8	--	0.9	0.7	14.3	1.5	1.5	0.3
1993	3.8	22.5	0.3	39.9	--	1.1	5.8	21.4	3.0	1.9	0.3
1994	6.1	31.4	-0.3	39.8	--	0.9	0.8	17.8	1.4	1.4	0.1
1995	7.2	33.3	1.5	42.5	--	1.1	1.9	9.6	1.0	1.6	0.3
(Type 12)											
1991	4.3	18.1	0.3	38.8	0.1	0.5	1.3	29.8	3.4	3.0	0.4
1992	6.1	16.5	0.6	45.8	--	0.6	0.9	25.3	2.4	1.6	0.2
1993	3.5	13.8	0.1	33.9	--	1.1	4.9	34.2	5.8	2.6	0.1
1994	5.6	21.2	0.1	42.0	--	1.1	1.7	25.1	1.8	1.4	--
1995	8.3	27.6	0.5	36.9	--	1.1	1.0	21.6	1.2	1.5	0.3
(Type 13)											
1991	3.2	22.3	0.5	37.3	--	1.9	1.2	23.3	4.1	5.1	1.1
1992	3.4	24.7	1.0	36.4	--	2.8	1.0	22.1	4.6	3.5	0.5
1993	1.1	17.7	0.9	43.3	--	2.0	2.5	22.9	5.7	3.5	0.4
1994	3.4	27.7	0.4	45.3	--	1.7	0.5	16.6	2.3	1.8	0.3
1995	7.1	32.2	1.2	43.3	--	2.0	0.6	9.1	1.0	2.9	0.6
(Type 14)											
1991	6.6	13.3	--	34.8	--	0.4	3.9	22.2	3.0	13.8	2.0
1992	7.6	18.9	0.2	30.1	0.1	0.7	1.8	27.2	4.9	7.4	1.1
1993	7.4	15.8	0.1	30.5	--	1.3	6.5	25.7	5.3	6.9	0.5
1994	7.5	24.0	0.2	33.2	--	0.7	2.0	18.9	3.8	9.1	0.6
1995	5.2	25.4	0.9	28.4	--	2.4	2.4	26.7	3.9	4.2	0.5

1/ Dashes indicate a percentage of less than 0.1.

Table 22.--Percentage distribution by groups, qualities, and colors for types 11-14, 1991-95 crops 1/

(Group)

Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1991	--	59.2	3.6	7.6	14.8	9.4	--	4.7	0.7
1992	--	62.6	2.9	7.2	14.5	9.5	--	2.9	0.4
1993	--	63.3	1.8	5.6	15.9	9.7	--	3.4	0.3
1994	--	59.9	4.5	8.9	15.6	8.4	--	2.5	0.2
1995	--	62.3	6.7	11.2	15.2	2.0	--	2.2	0.4

(Quality)

Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 2/ Poor	Nondescript	Misc.
1991	--	0.2	16.7	55.3	20.2	2.2	4.7	0.7
1992	--	0.3	26.3	56.7	12.6	0.8	2.9	0.4
1993	--	0.2	14.4	57.8	21.9	2.0	3.4	0.3
1994	--	0.4	22.3	59.0	14.7	0.9	2.5	0.2
1995	--	0.6	28.0	53.9	14.9	--	2.2	0.4

(Color)

Crop year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K(SF)	G-GK	Nondescript	Misc.
1991	4.5	21.4	0.4	37.3	--	0.9	1.7	25.2	3.2	4.7	0.7
1992	5.3	21.7	0.9	42.0	--	1.1	1.0	21.7	3.0	2.9	0.4
1993	3.8	17.6	0.3	36.9	--	1.3	5.1	26.5	4.8	3.4	0.3
1994	5.5	26.1	0.3	40.8	--	1.1	1.2	20.2	2.1	2.5	0.2
1995	7.3	30.0	1.0	38.8	--	1.5	1.4	16.0	1.5	2.2	0.4

1/ Dashes indicate a percentage of less than 0.1.

2/ Restricted for use in 1995.

Table 23.--Percentage distribution by grades and types, 1995 crop 1/

Group and grade	1995 crop				Group and grade	1995 crop			
	11	12	13	14		11	12	13	14
Leaf:					Smoking leaf:				
B1L	.005	.009	.002	--	H3F	2.397	.742	.665	.591
B2L	.053	.049	.022	.003	H4F	2.082	.450	2.247	.628
B3L	.166	.387	.271	.071	H5F	.181	.027	.379	.111
B4L	.138	.443	.697	.139	H6F	--	--	--	--
B5L	.020	.096	.196	.063	H4FR	.286	.045	.257	.045
B6L	--	--	--	--	H5FR	.030	.006	.056	.012
B1F	.083	.055	.015	--	H6FR	--	--	--	--
B2F	.380	.510	.171	.046	H4K	4.138	.881	4.803	.987
B3F	4.975	6.622	2.582	2.262	H5K	1.247	.335	2.010	.894
B4F	4.579	5.697	7.527	3.564	H6K	--	--	--	--
B5F	.505	.281	1.528	1.102	Total H	10.361	2.487	10.418	3.268
B6F	--	--	--	--	Cutters:				
B1FR	--	--	--	--	C1L	.001	.003	.008	--
B2FR	.031	.007	.003	.014	C2L	.042	.012	.098	--
B3FR	.741	.248	.378	.393	C3L	.378	.416	.588	.024
B4FR	.381	.156	.416	.338	C4L	1.156	1.577	1.305	.374
B5FR	.023	.013	.059	.085	C5L	.724	1.106	.779	.475
B6FR	--	--	--	--	C5LP	--	--	--	--
B5R	--	--	--	--	C1F	.010	.002	.014	--
B3K	10.668	8.871	9.728	2.017	C2F	.084	.011	.091	--
B4K	18.847	14.048	16.523	13.741	C3F	.924	.673	.986	.114
B5K	4.355	3.225	6.271	8.392	C4F	4.088	2.966	3.189	1.881
B6K	--	--	--	--	C5F	2.950	1.960	2.354	1.233
B3KR	1.321	4.138	1.632	.504	C5FP	--	--	--	--
B4KR	1.493	4.420	1.737	1.542	C4KR	.212	.376	.265	.076
B5KR	.112	.467	.178	.171	C4V	.284	.245	.355	.380
B3V	.142	.252	.471	.132	C4LL	--	--	--	--
B4V	.197	.259	.576	.406	C5LL	--	--	--	--
B5V	.015	.038	.091	.062	C4S	--	--	--	--
B3S	--	--	--	--	C4KL	.020	.124	.045	.503
B4S	--	--	--	--	C4KF	.097	.070	.102	.557
B5S	--	--	--	--	C4KM	.670	2.010	.995	2.479
B3KL	.098	.097	.088	.154	C4KK	--	--	--	--
B4KL	.058	.155	.116	.435	C4G	.044	.060	.046	.128
B5KL	.005	.100	.026	.196	C4GK	.064	.094	.052	.318
B6KL	--	--	--	--	Total C	11.748	11.706	11.271	8.544
B3KF	1.214	.681	.216	.668	Lugs:				
B4KF	3.177	2.219	.962	4.831	X1L	.007	.001	.001	--
B5KF	1.150	1.290	.436	2.995	X2L	.059	.051	.022	.003
B6KF	--	--	--	--	X3L	1.438	1.785	1.012	.638
B3KD	--	--	--	--	X4L	1.620	1.911	1.423	1.684
B4KD	--	--	--	--	X5L	.241	.318	.198	.468
B5KD	--	--	--	--	X1F	.004	.006	--	.002
B6KD	--	--	--	--	X2F	.116	.047	.060	.030
B4KV	.887	.411	.262	.629	X3F	2.886	2.880	2.531	2.538
B5KV	.633	.375	.270	1.134	X4F	4.511	3.657	5.322	6.547
B6KV	--	--	--	--	X5F	1.064	.717	1.183	2.212
B3KM	1.510	5.775	1.656	1.737	X3KR	.050	.089	.065	.044
B4KM	1.118	6.363	2.838	5.604	X4KR	.040	.067	.073	.069
B5KM	.073	.907	.413	1.072	X3V	.183	.167	.191	.467
B6KM	--	--	--	--	X4V	.338	.169	.344	.960
B3KK	--	--	--	--	X3LL	--	--	--	--
B4KK	--	--	--	--	X4LL	--	--	--	--
B5KK	--	--	--	--	X3S	--	--	--	--
B6KK	--	--	--	--	X4S	--	--	--	--
B4G	.038	.065	.086	.172	X4KL	.009	.075	.022	.707
B5G	.005	.023	.026	.067	X4KF	.106	.085	.096	1.778
B6G	--	--	--	--	X4KV	.344	.200	.105	.630
B5GR	--	--	--	--	X3KM	.111	.703	.437	.916
B4GK	.355	.463	.288	.792	X4KM	.157	.952	.632	2.108
B5GK	.138	.190	.093	.449	X4G	.142	.129	.161	.866
B6GK	--	--	--	--	X5G	.034	.036	.065	.245
B5GG	--	--	--	--	X4GK	.096	.098	.092	.438
Total B	59.688	69.402	58.851	55.983	Total X	13.556	14.143	14.034	23.352

See footnotes at end of table.

Table 23.--Percentage distribution by grades and type , 1995 1--Continued

Group and grade	1995 crop				Group and grade	1995 crop			
	11	12	13	14		11	12	13	14
Primings:					Nondescript:				
P2L	.025	.001	.029	.013	N1L	0150	.039	.013	.126
P2L sand	--	--	--	--	N1L sand	--	--	--	--
P3L	.417	.073	.168	.291	N1XL	.352	.214	.249	.509
P3L sand	--	--	--	--	N1K	.257	.197	.825	1.156
P4L	.624	.098	.261	.783	N1R	.033	.087	.032	.005
P4L sand	.001	--	--	.005	N1GL	.075	.068	.065	.237
P5L	.094	.020	.012	.115	N1GL sand	--	--	--	--
P5L sand	--	--	--	.001	N1GF	.036	.050	.028	.102
P2F	.028	--	.044	.002	N1KV	.086	.102	.099	.262
P2F sand	--	--	--	--	N1GR	.004	.002	.004	.006
P3F	.365	.062	.302	.347	N1GG	.002	.001	--	--
P3F sand	--	.002	--	.001	N1PO	--	--	--	--
P4F	.946	.191	.905	1.766	N1PO sand	--	--	--	--
P4F sand	.002	--	--	.023	N1XO	.214	.221	.598	.840
P5F	.191	.065	.127	.389	N1BO	.065	.098	.314	.282
P5F sand	--	--	--	.002	N2	.295	.397	.651	.706
P4G	.095	.015	.065	.287	Total N	1.570	1.476	2.878	4.233
P4G sand	--	--	--	--	No-grade 2/	.083	.097	.326	.194
P5G	.015	.004	.018	.084	No-G-F sand	--	--	--	--
P5G sand	--	--	--	.001	W - unsafe	.003	.007	.001	.001
Total P	2.804	0.530	1.932	4.111	U - unsound	.148	.096	.116	.150
Mixed:					S - scrap	--	--	--	--
M4F	--	--	--	--					
M5F	--	--	--	--					
M4KR	--	--	--	--					
M4KM	.003	.001	.001	--					
M5KM	.002	.001	--	--					
M4GK	.001	--	--	--					
M5GK	.001	.001	--	.013					
Total M	0.007	0.005	0.001	0.013	Grand total	100.000	100.000	100.000	100.000

1/ Dashes indicate a percentage of less than 0.001. Detail may not add to totals due to rounding.

2/ Includes grades No-G and No-G-F.

Table 24.--Percentage breakdown of marketings by selected groupings, 1995 and 1994 crops

Grouping	Type 11		Type 12		Type 13		Type 14		11-14	
	1995	1994	1995	1994	1995	1994	1995	1994	1995	1994
Premature to mellow	85.6	78.5	74.4	70.0	85.8	78.5	62.3	65.6	78.6	73.8
Unripe	11.5	18.6	22.6	26.8	9.7	17.1	29.1	20.9	17.3	21.4
Immature	1.0	1.4	1.2	1.8	1.0	2.3	3.9	3.8	1.5	2.1
Nondescript	1.6	1.4	1.5	1.4	2.9	1.8	4.2	9.1	2.2	2.5
No-grade 1/	0.3	0.1	0.3	0.0	0.6	0.3	0.5	0.6	0.4	0.2
Total:	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes tobacco defined as decayed, off-type, and nested; also unsafe keeping order and unsound. Also includes grade No-G-F.

Table 25.--Group averages by maturity, 1995 crop

GROUP	MATURE TO MELLOW	PREMATURE	UNRIPE	IMMATURE
dollars per hundred pounds				
Leaf (B)	183.80	--	181.37	177.47
Smoking Leaf (H)	184.07	--	--	--
Cutters (C)	176.35	--	174.88	172.32
Lugs (X)	169.75	--	166.98	165.56
Primings (P)	--	162.96	--	158.49
Total	180.37	162.96	178.89	171.54
Nondescript	161.66			
No-grade 1/	142.10			

1/ Includes tobacco defined as decayed, off-type, and nested; also includes "W", "U", and scrap.

Table 26...Percentage distribution by grades for all types, 1993-95 crops 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1993	1994	1995		1993	1994	1995
Wrappers:				B5KM	1.289	.700	.572
A1L	--	--	--	B6KM	.037	.017	--
A1F	--	--	--	Total BKM -	9.869	---	8.197 --- 7.512
Total A	--	--	--	B3KK	.115	.067	--
Leaf:				B4KK	.358	.246	--
B1L	--	--	.005	B5KK	.098	.041	--
B2L	.002	.013	.038	B6KK	.007	.002	--
B3L	.016	.066	.251	Total BKK -	.577	---	.357 --- --
B4L	.047	.137	.365	B4G	.065	.047	.076
B5L	.024	.041	.091	B5G	.042	.015	.025
B6L	.001	--	--	B6G	.003	.001	--
Total BL	--	.090	--- .259 --- .750	Total BG --	.110	---	.063 --- .101
B1F	.016	.014	.047	B5GR	.004	.001	--
B2F	.062	.104	.331	B4GK	.860	.415	.438
B3F	.314	1.262	4.630	B5GK	.561	.176	.190
B4F	1.576	4.465	5.466	B6GK	.110	.018	--
B5F	.314	.549	.738	Total BGK -	1.530	---	.609 --- .628
B6F	.003	.006	--	B5GG	.006	.003	--
Total BF	--	2.284	--- 6.401 --- 11.212	Total B --	63.295	---	59.912 --- 62.295
B1FR	--	--	--	Smoking leaf			
B2FR	--	.004	.014	H3F	.030	.202	1.199
B3FR	.015	.040	.444	H4F	.247	.879	1.358
B4FR	.171	.122	.306	H5F	.073	.156	.162
B5FR	.053	.011	.036	H6F	.001	.001	--
B6FR	.003	.003	--	Total HF --	.352	---	1.238 --- 2.720
Total BFR	--	.242	--- .181 --- .800	H4FR	.036	.049	.164
B5R	.001	.002	--	H5FR	.019	.018	.025
B3K	4.374	8.533	8.636	H6FR	--	--	--
B4K	14.926	16.508	15.985	Total HFR -	.056	---	.067 --- .189
B5K	7.830	4.730	4.957	H4K	.851	2.106	2.733
B6K	.932	.512	--	H5K	.453	.952	1.055
Total BK	--	28.062	--- 30.283 --- 29.578	H6K	.093	.156	--
B3KR	2.000	2.161	2.235	Total HK --	1.397	---	3.215 --- 3.787
B4KR	4.407	4.221	2.551	Total H --	1.805	---	4.521 --- 6.696
B5KR	.694	.418	.256	Cutters:			
Total BKR	--	7.100	--- 6.799 --- 5.042	C1L	--	--	.003
B3V	.061	.095	.250	C2L	.001	.011	.038
B4V	.159	.170	.331	C3L	.032	.137	.388
B5V	.027	.019	.046	C4L	.183	.537	1.222
Total BV	--	.247	--- .284 --- .627	C5L	.175	.398	.831
B3S	.032	.061	--	Total CL --	.391	---	1.083 --- 2.483
B4S	.027	.027	--	C5LP	.003	.010	--
B5S	.001	.003	--	C1F	--	.004	.007
Total BS	--	.059	--- .091 --- --	C2F	.002	.021	.049
B3KL	.076	.145	.103	C3F	.150	.443	.738
B4KL	.211	.194	.157	C4F	.917	2.261	3.199
B5KL	.046	.033	.069	C5F	1.081	1.894	2.241
B6KL	.003	.002	--	Total CF --	2.150	---	4.622 --- 6.234
Total BKL	--	.334	--- .373 --- .328	C5FP	.001	.006	--
B3KF	.740	.747	.736	C4KR	.158	.351	.260
B4KF	4.839	3.121	2.595	C4V	.209	.244	.300
B5KF	3.086	1.145	1.299	C4LL	--	.002	--
B6KF	.349	.108	--	C5LL	--	.001	--
Total BKF	--	9.015	--- 5.121 --- 4.630	Total CLL -	--	.003	---
B3KD	.002	.003	--	C4S	.093	.084	--
B4KD	.071	.039	--	C4KL	.107	.087	.129
B5KD	.150	.091	--	C4KF	.321	.184	.153
B6KD	.063	.033	--	C4KM	1.771	1.945	1.452
Total BKD	--	.286	--- .167 --- --	C4KK	.059	.067	--
B4KV	1.521	.353	.551	C4G	.097	.049	.062
B5KV	1.606	.312	.535	C4GK	.245	.159	.107
B6KV	.351	.057	--	Total C --	5.604	---	8.893 --- 11.180
Total BKV	--	3.477	--- .722 --- 1.087	Lugs:			
B3KM	2.260	2.535	3.028	X1L	--	.005	.002
B4KM	6.283	4.945	3.913	X2L	.008	.020	.040
				X3L	.286	.698	1.350

See footnotes at end of table

Table 26.--Percentage distribution by grades for all types, 1993-95 crops 1/-Continued

Group and grade	Crop of:			Group and grade	Crop of:		
	1993	1994	1995		1993	1994	1995
X4L	.651	1.152	1.685	P4F	3.864	3.517	.794
X5L	.230	.213	.290	P4F sand	.030	.009	.004
Total XL --	1.176 ----	2.088 ----	3.368	P5F	1.247	.912	.162
X1F	.006	.007	.004	P5F sand	.007	.002	--
X2F	.020	.044	.068	Total PF --	6.181 ----	5.762 ----	1.225
X3F	1.146	1.808	2.757	P4G	.909	.447	.088
X4F	3.749	4.750	4.684	P4G sand	.007	.001	--
X5F	1.706	1.447	1.133	P5G	.381	.111	.022
Total XF --	6.627 ----	8.055 ----	8.645	P5G sand	.001	--	--
X3KR	.060	.110	.066	Total PG --	1.298 ----	.558 ----	.110
X4KR	.084	.144	.060	Total P --	9.666 ----	8.400 ----	2.020
Total XKR --	.143 ----	.254 ----	.126	Mixed:			
X3V	.254	.185	.219	M4F	.001	.001	--
X4V	.620	.390	.369	M5F	--	--	--
Total XV --	.874 ----	.575 ----	.588	Total MF --	.001 ----	.001 ----	--
X3LL	.002	--	--	M4KR	--	--	--
X4LL	.002	.002	--	M4KM	.003	.001	.002
Total XLL --	.004 ----	.002 ----	--	M5KM	.002	.002	.001
X3S	.038	.035	--	Total MKM -	.005 ----	.003 ----	.003
X4S	.022	.014	--	M4GK	.001	--	--
Total XS --	.060 ----	.049 ----	--	M5GK	.001	--	.002
X4KL	.056	.040	.132	Total MGK -	.002 ----	--	.003
X4KF	.492	.186	.331	Total M --	.007 ----	.004 ----	.006
X4KV	1.572	.453	.283	Nondescript			
X3KM	.906	1.054	.497	N1L	.409	.237	.079
X4KM	2.519	2.185	.806	N1L sand	--	--	--
Total XKM --	3.425 ----	3.239 ----	1.303	N1XL	.482	.309	.304
X4G	.504	.211	.243	N1K	.172	.156	.487
X5G	.367	.109	.071	N1R	.009	.004	.047
Total XG --	.871 ----	.320 ----	.314	N1GL	.625	.167	.093
X4GK	.653	.294	.144	N1GL sand	--	--	--
Total X --	15.952 ----	15.555 ----	15.234	N1GF	.091	.013	.048
Primings:				N1KV	.143	.033	.119
P2L	.052	.071	.016	N1GR	.010	--	.004
P2L sand	--	--	--	N1GG	.002	--	.001
P3L	.529	.646	.227	N1PO	.336	.565	--
P3L sand	.001	--	--	N1PO sand	--	--	--
P4L	1.285	1.137	.387	N1XO	.238	.461	.388
P4L sand	.007	.005	.001	N1BO	.184	.203	.161
P5L	.312	.219	.054	N2	.656	.361	.466
P5L sand	--	.001	--	Total N --	3.358 ----	2.508 ----	2.199
Total PL --	2.187 ----	2.080 ----	.685	No-grade 2/	.313	.207	.370
P2F	.063	.120	.018	Grand total:	100.000	100.000	100.000
P2F sand	--	--	--				
P3F	.970	1.202	.245				
P3F sand	.001	--	.001				

1/ Dashes indicate a percentage of less than 0.001. Detail may not add to totals due to rounding.

2/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order, and unsound. Also includes grade No-G-F sand, which totaled 0.000 percent in 1995.

Table 27.--Average price by grade groups and types, 1995 and 1994 crops

1995 crop							1994 crop						
Type	Group						Group						
	B	H	C	X	P	N	B	H	C	X	P	N	
11	184	184	179	174	170	160	179	183	171	158	145	132	
12	184	185	176	170	162	158	179	182	169	155	139	137	
13	183	184	173	167	160	162	180	182	166	151	137	131	
14	182	184	173	164	154	167	178	182	164	147	135	129	
11-14	183	184	176	169	163	162	179	182	169	154	140	131	

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791.

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C., 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.